

## EARLY CR REPORT

This supplement shows the percentage of patients who were seen at Early/Phase 1 and then the percentage NOT referred to Phase 3/Core rehab (Standard 1) plus the percentage referred within 3 days (Standard 2) (based on BACPR guidance and NHS England Best Practice Tariff). Data used was from electronic data entry into NACR from Jan- Dec 2022. (England grouped by Network; Northern Ireland by Health and Social Care Trust; Wales by Health Board).

Insufficient Number of Starters for Valid Data Reporting = less than 30 starters of Early/Phase 1

Trust Name	ICB	Network	% of Patients seen at Early who were not successfully transferred to core/onward referral (target <30%)	Standard 1 Met/Not Met (<30%)	% Referred within 3 days (target >60%)	Standard 2 Met/Not Met (>60%)
Countess of Chester Hospital NHS Foundation Trust (Countess of Chester Hospital)	NHS Cheshire and Merseyside	Cheshire & Merseyside	7.6%	Met	26.9%	Not Met
East Cheshire NHS Trust (Macclesfield District General Hospital)	NHS Cheshire and Merseyside	Cheshire & Merseyside	0.2%	Met	37.3%	Not Met
Liverpool University Hospitals NHS Foundation Trust (University Hospital Aintree)	NHS Cheshire and Merseyside	Cheshire & Merseyside	Insufficient Number of Starters for Valid Data Reporting			
Liverpool Heart and Chest Hospital NHS Foundation Trust (Knowsley Community CVD Service)	NHS Cheshire and Merseyside	Cheshire & Merseyside	15.4%	Met	35.8%	Not Met
Liverpool University Hospitals NHS Foundation Trust (Broadgreen Hospital and Royal Liverpool University Hospital)	NHS Cheshire and Merseyside	Cheshire & Merseyside	3.8%	Met	42.4%	Not Met
Mersey and West Lancashire Teaching Hospitals NHS Trust (Halton and St Helens Division)	NHS Cheshire and Merseyside	Cheshire & Merseyside	2.9%	Met	32.6%	Not Met
Mid Cheshire Hospitals NHS Foundation Trust (Leighton Hospital)	NHS Cheshire and Merseyside	Cheshire & Merseyside	4.4%	Met	31.5%	Not Met
Warrington and Halton Teaching Hospitals NHS Foundation Trust (Halton Hospital and Warrington)	NHS Cheshire and Merseyside	Cheshire & Merseyside	11.6%	Met	84.4%	Met
Chesterfield Royal Hospital NHS Foundation Trust (Chesterfield Royal Hospital)	NHS Derby and Derbyshire	East Midlands	1.5%	Met	86%	Met
Doncaster and Bassetlaw Hospitals NHS Foundation Trust (Bassetlaw Hospital)	NHS Nottingham and Nottinghamshire	East Midlands	Insufficient Number of Starters for Valid Data Reporting			
Kettering General Hospital NHS Trust (Kettering General Hospital)	NHS Northamptonshire	East Midlands	6.1%	Met	52.1%	Not Met

Trust Name	ICB	Network	% of Patients seen at Early who were not successfully transferred to core/onward referral (target <30%)	Standard 1 Met/Not Met (<30%)	% Referred within 3 days (target >60%)	Standard 2 Met/Not Met (>60%)
Northampton General Hospital NHS Trust (Northampton General Hospital (Acute))	NHS Northamptonshire	East Midlands	Insufficient Number of Starters for Valid Data Reporting			
Sherwood Forest Hospitals NHS Foundation Trust (King's Mill Hospital)	NHS Nottingham and Nottinghamshire	East Midlands	30.4%	Not Met	60.2%	Met
University Hospitals of Derby and Burton NHS Foundation Trust (Royal Derby Hospital and Ilkeston Community Hospital)	NHS Derby and Derbyshire	East Midlands	61.9%	Not Met	5.6%	Not Met
Bedfordshire Hospitals NHS Foundation Trust (Luton and Dunstable Hospital)	NHS Bedfordshire, Luton and Milton Keynes	East of England	81.5%	Not Met	80.9%	Met
Cambridgeshire & Peterborough NHS Foundation Trust (Doddington Community Hospital)	NHS Cambridgeshire and Peterborough	East of England	Insufficient Number of Starters for Valid Data Reporting			
East and North Hertfordshire NHS Trust (Queen Elizabeth II Hospital and Lister Hospital)	NHS Hertfordshire and West Essex	East of England	20.8%	Met	72.6%	Met
East Suffolk and North Essex NHS Foundation Trust (Colchester General Hospital)	NHS Suffolk and North East Essex	East of England	65.9%	Not Met	69.6%	Met
Mid and South Essex NHS Foundation Trust (Broomfield Hospital)	NHS Mid and South Essex	East of England	Insufficient Number of Starters for Valid Data Reporting			
Mid and South Essex NHS Foundation Trust (Southend Hospital)	NHS Mid and South Essex	East of England	10.7%	Met	4.9%	Not Met
Mid and South Essex NHS Foundation Trust (The Essex Cardiothoracic Centre)	NHS Mid and South Essex	East of England	36.8%	Not Met	60%	Met
Milton Keynes University Hospital NHS Foundation Trust (Milton Keynes University Hospital)	NHS Bedfordshire, Luton and Milton Keynes	East of England	Insufficient Number of Starters for Valid Data Reporting			
Norfolk and Norwich University Hospital NHS Trust (Norfolk and Norwich University Hospital)	NHS Norfolk and Waveney	East of England	2.4%	Met	100%	Met
North West Anglia NHS Foundation Trust (Peterborough City Hospital and CPFT Community Cardiac Rehabilitation)	NHS Cambridgeshire and Peterborough	East of England	14.1%	Met	27.7%	Not Met
Royal Papworth Hospital NHS Foundation Trust (Royal Papworth Hospital)	NHS Cambridgeshire and Peterborough	East of England	Insufficient Number of Starters for Valid Data Reporting			

Trust Name	ICB	Network	% of Patients seen at Early who were not successfully transferred to core/onward referral (target <30%)	Standard 1 Met/Not Met (<30%)	% Referred within 3 days (target >60%)	Standard 2 Met/Not Met (>60%)
Bolton Hospitals NHS Trust (Royal Bolton Hospital and Royal Bolton Heart Failure Rehab)	NHS Greater Manchester	Greater Manchester	12.2%	Met	64.6%	Met
Manchester University NHS Foundation Trust (Manchester Heart Centre / Manchester Royal Infirmary)	NHS Greater Manchester	Greater Manchester	39.9%	Not Met	44.6%	Not Met
Manchester University NHS Foundation Trust (North Manchester General Hospital)	NHS Greater Manchester	Greater Manchester	Insufficient Number of Starters for Valid Data Reporting			
Manchester University NHS Foundation Trust (Wythenshawe Hospital & South Manchester Community)	NHS Greater Manchester	Greater Manchester	48%	Not Met	99%	Met
Northern Care Alliance NHS Group (Bury Care Organisation)	NHS Greater Manchester	Greater Manchester	5.4%	Met	84.6%	Met
Northern Care Alliance NHS Group (Royal Oldham Hospital)	NHS Greater Manchester	Greater Manchester	35.6%	Not Met	79.5%	Met
Northern Care Alliance NHS Group (Salford Royal Hospital)	NHS Greater Manchester	Greater Manchester	37.7%	Not Met	73.6%	Met
Stockport NHS Foundation Trust (Stepping Hill Hospital)	NHS Greater Manchester	Greater Manchester	66.7%	Not Met	32.6%	Not Met
Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust (Community Cardiac Rehabilitation)	NHS Greater Manchester	Greater Manchester	Insufficient Number of Starters for Valid Data Reporting			
Northern Lincolnshire and Goole Hospitals NHS Foundation Trust (Diana, Princess of Wales Hospital)	NHS Humber and North Yorkshire	Humber and North Yorkshire	Insufficient Number of Starters for Valid Data Reporting			
Northern Lincolnshire and Goole Hospitals NHS Foundation Trust (Scunthorpe General Hospital)	NHS Humber and North Yorkshire	Humber and North Yorkshire	46.8%	Not Met	52.9%	Not Met
York and Scarborough Teaching Hospitals NHS Foundation Trust (York Hospital / Community CR & Heart Failure Rehab)	NHS Humber and North Yorkshire	Humber and North Yorkshire	2.8%	Met	50.6%	Not Met
Blackpool, Fylde and Wyre Hospitals NHS Foundation Trust (Blackpool Victoria Hospital)	NHS Lancashire and South Cumbria	Lancashire & South Cumbria	5.2%	Met	97.3%	Met
East Lancashire Hospitals NHS Trust (Royal Blackburn Hospital / Burnley Hospital)	NHS Lancashire and South Cumbria	Lancashire & South Cumbria	0.4%	Met	40.1%	Not Met
Lancashire Teaching Hospitals NHS Foundation Trust (Chorley & South Ribble Hospital and Royal Preston Hospital)	NHS Lancashire and South Cumbria	Lancashire & South Cumbria	1%	Met	95%	Met
Barts Health NHS Trust (Barts Heart Centre)	NHS North East London	London (North)	0.2%	Met	45.1%	Not Met

Trust Name	ICB	Network	% of Patients seen at Early who were not successfully transferred to core/onward referral (target <30%)	Standard 1 Met/Not Met (<30%)	% Referred within 3 days (target >60%)	Standard 2 Met/Not Met (>60%)
Guy's and St Thomas' NHS Foundation Trust (Royal Brompton and Harefield NHS Hospitals Clinical Group (Care for your Heart, Harefield))	NHS North West London	London (North)	Insufficient Number of Starters for Valid Data Reporting			
Homerton University Hospital NHS Foundation Trust (Homerton University Hospital)	NHS North East London	London (North)	46.7%	Not Met	39.3%	Not Met
Imperial Healthcare NHS Trust (Charing Cross Hospital/Hammersmith, Central & West London and Ealing Community)	NHS North West London	London (North)	41.5%	Not Met	60%	Met
Nuffield Health (Nuffield Health at St. Bartholomew's Hospital)	NHS North East London	London (North)	Insufficient Number of Starters for Valid Data Reporting			
Royal Free London NHS Foundation Trust (Chase Farm Hospital and Barnet Hospital)	NHS North Central London	London (North)	5.7%	Met	39.2%	Not Met
Royal Free London NHS Foundation Trust (Royal Free Hospital)	NHS North Central London	London (North)	14%	Met	64.8%	Met
The Hillingdon Hospitals NHS Foundation Trust (Hillingdon Hospital)	NHS North West London	London (North)	0.9%	Met	75.7%	Met
Whittington Health NHS Trust (The Whittington Hospital)	NHS North Central London	London (North)	Insufficient Number of Starters for Valid Data Reporting			
Croydon Health Services NHS Trust (Croydon University Hospital)	NHS South West London	London (South)	Insufficient Number of Starters for Valid Data Reporting			
Guy's and St Thomas' NHS Foundation Trust (St. Thomas' Hospital)	NHS South East London	London (South)	23.1%	Met	38%	Not Met
King's College Hospital NHS Foundation Trust (King's College Hospital (Denmark Hill))	NHS South East London	London (South)	0%	Met	39.4%	Not Met
Kings College Hospital NHS Foundation Trust (Princess Royal University Hospital)	NHS South East London	London (South)	Insufficient Number of Starters for Valid Data Reporting			
Lewisham and Greenwich NHS Trust (University Hospital Lewisham)	NHS South East London	London (South)	6.4%	Met	43%	Not Met

Trust Name	ICB	Network	% of Patients seen at Early who were not successfully transferred to core/onward referral (target <30%)	Standard 1 Met/Not Met (<30%)	% Referred within 3 days (target >60%)	Standard 2 Met/Not Met (>60%)
St George's University Hospitals NHS Foundation Trust (St George's Hospital (Tooting))	NHS South West London	London (South)	Insufficient Number of Starters for Valid Data Reporting			
Gateshead Health NHS Foundation Trust (Queen Elizabeth Hospital)	NHS North East and North Cumbria	North East	Insufficient Number of Starters for Valid Data Reporting			
North Cumbria Integrated Care NHS Foundation Trust (Cumberland Infirmary)	NHS North East and North Cumbria	North East	3.2%	Met	68.6%	Met
North Cumbria Integrated Care NHS Foundation Trust (West Cumberland Hospital)	NHS North East and North Cumbria	North East	Insufficient Number of Starters for Valid Data Reporting			
University Hospital of North Tees (North Tees & Hartlepool Cardiac Rehab Heart Start)	NHS North East and North Cumbria	North East	Insufficient Number of Starters for Valid Data Reporting			
Ashford and St. Peters Hospital NHS Trust (Ashford Hospital and St Peters Hospital)	NHS Surrey Heartlands	South East	Insufficient Number of Starters for Valid Data Reporting			
East Sussex Healthcare NHS Trust (Conquest Hospital)	NHS Sussex	South East	38.4%	Not Met	55.1%	Not Met
East Sussex Healthcare NHS Trust (Eastbourne District General Hospital)	NHS Sussex	South East	7.3%	Met	86.3%	Met
Frimley Health NHS Foundation Trust (Frimley Park Hospital)	NHS Frimley	South East	11.7%	Met	93.6%	Met
Frimley Health NHS Foundation Trust (Wexham Park Hospital)	NHS Frimley	South East	15.8%	Met	87.7%	Met
Isle of Wight NHS Trust (St Mary's Hospital)	NHS Hampshire and Isle of Wight	South East	3.6%	Met	15.7%	Not Met
Kent Community Health NHS Foundation Trust	NHS Kent and Medway	South East	Insufficient Number of Starters for Valid Data Reporting			
Maidstone and Tunbridge Wells NHS Trust (Maidstone Hospital)	NHS Kent and Medway	South East	Insufficient Number of Starters for Valid Data Reporting			
Maidstone and Tunbridge Wells NHS Trust (Tunbridge Wells Hospital)	NHS Kent and Medway	South East	5.7%	Met	72.7%	Met

Trust Name	ICB	Network	% of Patients seen at Early who were not successfully transferred to core/onward referral (target <30%)	Standard 1 Met/Not Met (<30%)	% Referred within 3 days (target >60%)	Standard 2 Met/Not Met (>60%)
Oxford University Hospitals NHS Foundation Trust (Horton General Hospital and John Radcliffe Hospital)	NHS Buckinghamshire, Oxfordshire and Berkshire West	South East	48.8%	Not Met	97%	Met
Portsmouth Hospitals University NHS Trust (Queen Alexandra Hospital)	NHS Hampshire and Isle of Wight	South East	43.5%	Not Met	87.9%	Met
Royal Surrey NHS Foundation Trust (Royal Surrey County Hospital)	NHS Surrey Heartlands	South East	Insufficient Number of Starters for Valid Data Reporting			
Surrey and Sussex Healthcare NHS Trust (Crawley Hospital)	NHS Surrey Heartlands	South East	17.8%	Met	98.6%	Met
University Hospital Southampton NHS Foundation Trust (Southampton General Hospital)	NHS Hampshire and Isle of Wight	South East	81.5%	Not Met	9.1%	Not Met
University Hospitals Sussex NHS Foundation Trust (Princess Royal Hospital)	NHS Sussex	South East	2.9%	Met	24.9%	Not Met
University Hospitals Sussex NHS Foundation Trust (Royal Sussex County Hospital)	NHS Sussex	South East	2.6%	Met	91.8%	Met
University Hospitals Sussex NHS Foundation Trust (Southlands Hospital)	NHS Sussex	South East	Insufficient Number of Starters for Valid Data Reporting			
University Hospitals Sussex NHS Foundation Trust (St Richards Hospital)	NHS Sussex	South East	Insufficient Number of Starters for Valid Data Reporting			
Rotherham NHS Foundation Trust (Rotherham District General Hospital and Rotherham Community Health Centre)	NHS South Yorkshire	South Yorkshire	0.5%	Met	6.5%	Not Met
South West Yorkshire Partnership NHS Foundation Trust (Barnsley Cardiac and Pulmonary Rehabilitation Service)	NHS South Yorkshire	South Yorkshire	Insufficient Number of Starters for Valid Data Reporting			
Royal Cornwall Hospitals NHS Trust (Liskeard Community Hospital, Royal Cornwall Hospital, Mid Cornwall and West Cornwall/Isles of Scilly)	NHS Cornwall and The Isles of Scilly	South West (Peninsula)	22.6%	Met	74.5%	Met
Royal Devon University Healthcare NHS Foundation Trust (Royal Devon and Exeter Hospital (Wonford) & Westbank Community Care)	NHS Devon	South West (Peninsula)	0.6%	Met	96.3%	Met

Trust Name	ICB	Network	% of Patients seen at Early who were not successfully transferred to core/onward referral (target <30%)	Standard 1 Met/Not Met (<30%)	% Referred within 3 days (target >60%)	Standard 2 Met/Not Met (>60%)
Torbay and South Devon NHS Foundation Trust (Torbay Hospital)	NHS Devon	South West (Peninsula)	3.7%	Met	71%	Met
George Eliot Hospital NHS Trust (George Eliot Hospital)	NHS Coventry and Warwickshire	West Midlands	6.4%	Met	59.5%	Met
Sandwell and West Birmingham Hospitals NHS Trust (City Hospital and Sandwell General Hospital)	NHS Black Country	West Midlands	28.7%	Met	70.9%	Met
Shrewsbury and Telford Hospital NHS Trust (Royal Shrewsbury Hospital)	NHS Shropshire, Telford and Wrekin	West Midlands	Insufficient Number of Starters for Valid Data Reporting			
Shrewsbury and Telford Hospital NHS Trust (The Princess Royal Hospital)	NHS Shropshire, Telford and Wrekin	West Midlands	Insufficient Number of Starters for Valid Data Reporting			
The Royal Wolverhampton Hospitals NHS Trust (New Cross Hospital and Cannock Chase Hospital)	NHS Black Country	West Midlands	68%	Not Met	43.8%	Not Met
University Hospitals Birmingham NHS Foundation Trust (Good Hope Hospital)	NHS Birmingham and Solihull	West Midlands	15.4%	Met	71.1%	Met
University Hospitals Birmingham NHS Foundation Trust (Heartlands Hospital and Solihull Hospital)	NHS Birmingham and Solihull	West Midlands	9.5%	Met	86.9%	Met
University Hospitals Coventry and Warwickshire NHS Trust (University Hospital, Coventry and Hospital of St Cross)	NHS Coventry and Warwickshire	West Midlands	7%	Met	57.7%	Not Met
University Hospitals of Derby and Burton NHS Foundation Trust (Queen's Hospital)	NHS Staffordshire and Stoke-on-Trent	West Midlands	8.6%	Met	90.3%	Met
Walsall Cardiac Rehabilitation Trust (Heart Care)	NHS Black Country	West Midlands	Insufficient Number of Starters for Valid Data Reporting			
Worcestershire Acute Hospitals NHS Trust (Alexandra Hospital)	NHS Herefordshire and Worcestershire	West Midlands	0%	Met	100%	Met
Worcestershire Acute Hospitals NHS Trust (Kidderminster Hospital)	NHS Herefordshire and Worcestershire	West Midlands	Insufficient Number of Starters for Valid Data Reporting			
Worcestershire Acute Hospitals NHS Trust (Worcestershire Royal Hospital)	NHS Herefordshire and Worcestershire	West Midlands	0.7%	Met	98.8%	Met

Trust Name	ICB	Network	% of Patients seen at Early who were not successfully transferred to core/onward referral (target <30%)	Standard 1 Met/Not Met (<30%)	% Referred within 3 days (target >60%)	Standard 2 Met/Not Met (>60%)
Wye Valley NHS Trust (Hereford County Hospital, Leominster and Ross on Wye)	NHS Herefordshire and Worcestershire	West Midlands	7.2%	Met	33.3%	Not Met
Dorset County Hospital NHS Foundation Trust (Dorset County Hospital)	NHS Dorset	West of England	0.4%	Met	46.9%	Not Met
Great Western Hospitals NHS Foundation Trust	NHS Bath and North East Somerset, Swindon and Wiltshire	West of England	17.5%	Met	56.3%	Not Met
Royal United Hospital Bath NHS Foundation Trust (Royal United Hospital)	NHS Bath and North East Somerset, Swindon and Wiltshire	West of England	30.7%	Not Met	54.6%	Not Met
Somerset NHS Foundation Trust (Musgrove Park Hospital & Somerset Community)	NHS Somerset	West of England	Insufficient Number of Starters for Valid Data Reporting			
University Hospitals Bristol and Weston NHS Foundation Trust (Bristol Royal Infirmary)	NHS Bristol, North Somerset and South Gloucestershire	West of England	0%	Met	53.8%	Not Met
University Hospitals Dorset NHS Foundation Trust (Poole General Hospital & Royal Bournemouth Hospital)	NHS Dorset	West of England	0%	Met	58.7%	Not Met
Bradford Teaching Hospitals NHS Foundation Trust (Bradford Royal Infirmary, St Lukes Hospital, Queensbury Health Centre and Eccleshill Clinic)	NHS West Yorkshire	West Yorkshire	0%	Met	17.3%	Not Met
Calderdale and Huddersfield NHS Foundation Trust (Calderdale Royal Hospital)	NHS West Yorkshire	West Yorkshire	Insufficient Number of Starters for Valid Data Reporting			
Locala Community Partnership CIC (Huddersfield)	NHS West Yorkshire	West Yorkshire	4.7%	Met	41.1%	Not Met
Mid Yorkshire Hospitals NHS Trust (Pinderfields Hospital, Pontefract General Infirmary, Dewsbury & District Hospital)	NHS West Yorkshire	West Yorkshire	6.4%	Met	38%	Not Met



<b>Trust Name</b>	<b>Health and Social Care Trust</b>	<b>% of Patients seen at Early who were not successfully transferred to core/onward referral (target &lt;30%)</b>	<b>Standard 1 Met/Not Met (&lt;30%)</b>	<b>% Referred within 3 days (target &gt;60%)</b>	<b>Standard 2 Met/Not Met (&gt;60%)</b>
Belfast Health and Social Care Trust (Belfast City Hospital, Royal Victoria Hospital and Mater Hospital)	Belfast Health and Social Care Trust	1.3%	Met	73.4%	Met
Northern Health and Social Care Trust (Antrim Area Hospital, Whiteabbey Hospital, Mid-Ulster Hospital, Causeway Hospital)	Northern Health and Social Care Trust	1.8%	Met	76.2%	Met
South Eastern Health and Social Care Trust (Downe Hospital)	South Eastern Health and Social Care Trust	14.5%	Met	3.7%	Not Met
South Eastern Health and Social Care Trust (Lagan Valley Hospital)	South Eastern Health and Social Care Trust	14.8%	Met	17.9%	Not Met
Southern Health and Social Care Trust (Craigavon Area Hospital)	Southern Health and Social Care Trust	5.4%	Met	85.7%	Met
Southern Health and Social Care Trust (Daisy Hill Hospital)	Southern Health and Social Care Trust	Insufficient Number of Starters for Valid Data Reporting			
Western Health and Social Care Trust (Altnagelvin Hospital, Omagh Health Centre and South West Area Hospital)	Western Health and Social Care Trust	8.8%	Met	89.3%	Met

Trust Name	Health Board	% of Patients seen at Early who were not successfully transferred to core/onward referral (target <30%)	Standard 1 Met/Not Met (<30%)	% Referred within 3 days (target >60%)	Standard 2 Met/Not Met (>60%)
Betsi Cadwaladr University Health Board (Wrexham Maelor Hospital)	Betsi Cadwaladr University Health Board	Insufficient Number of Starters for Valid Data Reporting			
Betsi Cadwaladr University Health Board (Ysbyty Glan Clwyd & Llandudno)	Betsi Cadwaladr University Health Board	Insufficient Number of Starters for Valid Data Reporting			
Cardiff and Vale University Health Board (University Hospital of Wales and Llandough Hospital)	Cardiff & Vale University Health Board	30.7%	Not Met	58%	Not Met
Cwm Taf Morgannwg University Health Board (Princess of Wales Hospital)	Cwm Taf Morgannwg University Health Board	1.9%	Met	13.9%	Not Met
Cwm Taf Morgannwg University Health Board (Royal Glamorgan Hospital and Prince Charles Hospital)	Cwm Taf Morgannwg University Health Board	12.8%	Met	32.3%	Not Met
Hywel Dda University Health Board (Glangwili Hospital and Prince Philip Hospital)	Hywel Dda University Health Board	25.9%	Met	47.8%	Not Met
Hywel Dda University Health Board (Haverfordwest Health Care Centre)	Hywel Dda University Health Board	17.3%	Met	7.5%	Not Met
Swansea Bay University Health Board (Neath/Port Talbot Hospital)	Swansea Bay University Health Board	0%	Met	16.1%	Not Met