

EARLY CR REPORT

This supplement shows the percentage of patients who were seen at Early/Phase 1 and then the percentage NOT referred to Phase 3/Core rehab (Standard 1) plus the percentage referred within 3 days (Standard 2) (based on BACPR guidance and NHS England Best Practice Tariff). Data used was from electronic data entry into NACR from Jan - Dec 2022. (England grouped by Network; Northern Ireland by Health and Social Care Trust; Wales by Health Board).

Insufficient Number of Starters for Valid Data Reporting = less than 30 starters of Early/Phase 1

Trust Name	Network	ICB	% of patients seen at Early who were not successfully transferred to core/onward referral	Standard 1 Met/Not Met (<30% not transferred to Core/onward referral)	% referred within 3 days of initiating event	Standard 2 Met/Not Met (>60% referred within 3 days)
Countess of Chester Hospital NHS Foundation Trust (Countess of Chester Hospital)	Cheshire & Merseyside	NHS Cheshire and Merseyside	6%	Met	27%	Not Met
East Cheshire NHS Trust (Macclesfield District General Hospital)	Cheshire & Merseyside	NHS Cheshire and Merseyside	0%	Met	33%	Not Met
Liverpool Heart and Chest Hospital NHS Foundation Trust (Knowsley Community CVD Service)	Cheshire & Merseyside	NHS Cheshire and Merseyside	12%	Met	45%	Not Met
Liverpool University Hospitals NHS Foundation Trust (Broadgreen Hospital and Royal Liverpool University Hospital)	Cheshire & Merseyside	NHS Cheshire and Merseyside	12%	Met	38%	Not Met
Mersey and West Lancashire Teaching Hospitals NHS Trust (Ormskirk District General Hospital & Southport and Formby District General Hospital)	Cheshire & Merseyside	NHS Cheshire and Merseyside	Insufficient Number of Starters for Valid Data Reporting			
Mersey and West Lancashire Teaching Hospitals NHS Trust (St Helens Community)	Cheshire & Merseyside	NHS Cheshire and Merseyside	Insufficient Number of Starters for Valid Data Reporting			
Mid Cheshire Hospitals NHS Foundation Trust (Leighton Hospital)	Cheshire & Merseyside	NHS Cheshire and Merseyside	4%	Met	39%	Not Met
Warrington and Halton Teaching Hospitals NHS Foundation Trust (Halton Hospital and Warrington)	Cheshire & Merseyside	NHS Cheshire and Merseyside	Insufficient Number of Starters for Valid Data Reporting			

Trust Name	Network	ICB	% of patients seen at Early who were not successfully transferred to core/onward referral	Standard 1 Met/Not Met (<30% not transferred to Core/onward referral)	% referred within 3 days of initiating event	Standard 2 Met/Not Met (>60% referred within 3 days)
Wirral Community Health and Care NHS Foundation Trust (Wirral Community Cardiology Service)	Cheshire & Merseyside	NHS Cheshire and Merseyside	Insufficient Number of Starters for Valid Data Reporting			
Chesterfield Royal Hospital NHS Foundation Trust (Chesterfield Royal Hospital)	East Midlands	NHS Derby and Derbyshire	8%	Met	81%	Met
Doncaster and Bassetlaw Hospitals NHS Foundation Trust (Bassetlaw Hospital)	East Midlands	NHS Nottingham and Nottinghamshire	6%	Met	50%	Not Met
Kettering General Hospital NHS Trust (Kettering General Hospital)	East Midlands	NHS Northamptonshire	2%	Met	58%	Not Met
Northampton General Hospital NHS Trust (Northampton General Hospital (Acute))	East Midlands	NHS Northamptonshire	83%	Not Met	99%	Met
Sherwood Forest Hospitals NHS Foundation Trust (King's Mill Hospital)	East Midlands	NHS Nottingham and Nottinghamshire	20%	Met	57%	Not Met
Sherwood Forest Hospitals NHS Foundation Trust (Newark Hospital)	East Midlands	NHS Nottingham and Nottinghamshire	Insufficient Number of Starters for Valid Data Reporting			
University Hospitals of Derby and Burton NHS Foundation Trust (Royal Derby Hospital and Ilkeston Community Hospital)	East Midlands	NHS Derby and Derbyshire	62%	Not Met	3%	Not Met
Bedfordshire Hospitals NHS Foundation Trust (Bedford Heart Beat - Bedford Hospital)	East of England	NHS Bedfordshire, Luton and Milton Keynes	Insufficient Number of Starters for Valid Data Reporting			
Bedfordshire Hospitals NHS Foundation Trust (Luton and Dunstable Hospital)	East of England	NHS Bedfordshire, Luton and Milton Keynes	58%	Not Met	86%	Met
Cambridge University Hospital NHS Foundation Trust (Addenbrooke's Hospital)	East of England	NHS Cambridgeshire and Peterborough	Insufficient Number of Starters for Valid Data Reporting			
Cambridgeshire & Peterborough NHS Foundation Trust (Doddington Community Hospital)	East of England	NHS Cambridgeshire and Peterborough	Insufficient Number of Starters for Valid Data Reporting			
East and North Hertfordshire NHS Trust (Queen Elizabeth II Hospital and Lister Hospital)	East of England	NHS Hertfordshire and West Essex	20%	Met	82%	Met
East Suffolk and North Essex NHS Foundation Trust (Colchester General Hospital)	East of England	NHS Suffolk and North East Essex	46%	Not Met	47%	Not Met

Trust Name	Network	ICB	% of patients seen at Early who were not successfully transferred to core/onward referral	Standard 1 Met/Not Met (<30% not transferred to Core/onward referral)	% referred within 3 days of initiating event	Standard 2 Met/Not Met (>60% referred within 3 days)
East Suffolk and North Essex NHS Foundation Trust (East Suffolk Cardiac Rehab)	East of England	NHS Suffolk and North East Essex	Insufficient Number of Starters for Valid Data Reporting			
Mid and South Essex NHS Foundation Trust (Southend Hospital)	East of England	NHS Mid and South Essex	18%	Met	86%	Met
Mid and South Essex NHS Foundation Trust (The Essex Cardiothoracic Centre)	East of England	NHS Mid and South Essex	34%	Not Met	57%	Not Met
Milton Keynes University Hospital NHS Foundation Trust (Milton Keynes University Hospital)	East of England	NHS Bedfordshire, Luton and Milton Keynes	7%	Met	53%	Not Met
Norfolk and Norwich University Hospital NHS Trust (Norfolk and Norwich University Hospital)	East of England	NHS Norfolk and Waveney	1%	Met	100%	Met
Norfolk Community Health and Care NHS Trust	East of England	NHS Norfolk and Waveney	Insufficient Number of Starters for Valid Data Reporting			
North West Anglia NHS Foundation Trust (Peterborough City Hospital and CPFT Community Cardiac Rehabilitation)	East of England	NHS Cambridgeshire and Peterborough	11%	Met	4%	Not Met
West Hertfordshire Teaching Hospitals NHS Trust (Watford General Hospital Phase 1)	East of England	NHS Hertfordshire and West Essex	48%	Not Met	40%	Not Met
West Herts Central London Community Healthcare NHS Trust (St Albans, Watford, Hemel Hempstead)	East of England	NHS Hertfordshire and West Essex	Insufficient Number of Starters for Valid Data Reporting			
West Suffolk NHS Foundation Trust (West Suffolk Community Cardiac Rehabilitation)	East of England	NHS Suffolk and North East Essex	Insufficient Number of Starters for Valid Data Reporting			
BOC Healthcare (Heywood, Middleton & Rochdale Cardiac Rehabilitation Service)	Greater Manchester	NHS Greater Manchester	Insufficient Number of Starters for Valid Data Reporting			
Bolton Hospitals NHS Trust (Royal Bolton Hospital and Royal Bolton Heart Failure Rehab)	Greater Manchester	NHS Greater Manchester	24%	Met	57%	Not Met
Manchester University NHS Foundation Trust (Manchester Heart Centre / Manchester Royal Infirmary)	Greater Manchester	NHS Greater Manchester	53%	Not Met	92%	Met

Trust Name	Network	ICB	% of patients seen at Early who were not successfully transferred to core/onward referral	Standard 1 Met/Not Met (<30% not transferred to Core/onward referral)	% referred within 3 days of initiating event	Standard 2 Met/Not Met (>60% referred within 3 days)
Manchester University NHS Foundation Trust (North Manchester General Hospital)	Greater Manchester	NHS Greater Manchester	Insufficient Number of Starters for Valid Data Reporting			
Manchester University NHS Foundation Trust (Wythenshawe Hospital & South Manchester Community)	Greater Manchester	NHS Greater Manchester	8%	Met	16%	Not Met
Northern Care Alliance NHS Group (Bury Care Organisation)	Greater Manchester	NHS Greater Manchester	16%	Met	90%	Met
Northern Care Alliance NHS Group (Oldham Care Organisation)	Greater Manchester	NHS Greater Manchester	43%	Not Met	74%	Met
Northern Care Alliance NHS Group (Salford Royal Hospital)	Greater Manchester	NHS Greater Manchester	39%	Not Met	66%	Met
Stockport NHS Foundation Trust (Stepping Hill Hospital)	Greater Manchester	NHS Greater Manchester	32%	Not Met	80%	Met
Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust (Community Cardiac Rehabilitation)	Greater Manchester	NHS Greater Manchester	Insufficient Number of Starters for Valid Data Reporting			
City Health Care Partnership CIC (East Riding Cardiac Rehab Service)	Humber and North Yorkshire	NHS Humber and North Yorkshire	Insufficient Number of Starters for Valid Data Reporting			
Northern Lincolnshire and Goole Hospitals NHS Foundation Trust (Diana, Princess of Wales Hospital)	Humber and North Yorkshire	NHS Humber and North Yorkshire	Insufficient Number of Starters for Valid Data Reporting			
Northern Lincolnshire and Goole Hospitals NHS Foundation Trust (Scunthorpe General Hospital)	Humber and North Yorkshire	NHS Humber and North Yorkshire	10%	Met	63%	Met
York and Scarborough Teaching Hospitals NHS Foundation Trust (York Hospital / Community CR & Heart Failure Rehab)	Humber and North Yorkshire	NHS Humber and North Yorkshire	2%	Met	51%	Not Met
Blackpool, Fylde and Wyre Hospitals NHS Foundation Trust (Blackpool Victoria Hospital)	Lancashire & South Cumbria	NHS Lancashire and South Cumbria	Insufficient Number of Starters for Valid Data Reporting			
East Lancashire Hospitals NHS Trust (Royal Blackburn Hospital / Burnley Hospital)	Lancashire & South Cumbria	NHS Lancashire and South Cumbria	0%	Met	40%	Not Met
University Hospitals of Morecambe Bay NHS Foundation Trust (Furness General Hospital)	Lancashire & South Cumbria	NHS Lancashire and South Cumbria	Insufficient Number of Starters for Valid Data Reporting			

Trust Name	Network	ICB	% of patients seen at Early who were not successfully transferred to core/onward referral	Standard 1 Met/Not Met (<30% not transferred to Core/onward referral)	% referred within 3 days of initiating event	Standard 2 Met/Not Met (>60% referred within 3 days)
University Hospitals of Morecambe Bay NHS Foundation Trust (Royal Lancaster Infirmary)	Lancashire & South Cumbria	NHS Lancashire and South Cumbria	Insufficient Number of Starters for Valid Data Reporting			
Barking, Havering and Redbridge Hospitals NHS Trust (King George Hospital, Queens Hospital and Community CHD Service)	London (North)	NHS North East London	Insufficient Number of Starters for Valid Data Reporting			
Barts Health NHS Trust (Barts Heart Centre)	London (North)	NHS North East London	0%	Met	43%	Not Met
Barts Health NHS Trust (Whipps Cross University Hospital)	London (North)	NHS North East London	4%	Met	1%	Not Met
Central and North West London NHS Foundation Trust (Hillingdon Community Cardiac Rehab)	London (North)	NHS North West London	Insufficient Number of Starters for Valid Data Reporting			
Central London Community Healthcare NHS Trust (Harrow Community Services)	London (North)	NHS North West London	Insufficient Number of Starters for Valid Data Reporting			
Homerton University Hospital NHS Foundation Trust (Homerton University Hospital)	London (North)	NHS North East London	14%	Met	45%	Not Met
Imperial Healthcare NHS Trust (Charing Cross Hospital/Hammersmith, Central & West London and Ealing Community)	London (North)	NHS North West London	33%	Not Met	56%	Not Met
London North West University Healthcare NHS Trust (Northwick Park Hospital and Ealing Hospital)	London (North)	NHS North West London	2%	Met	44%	Not Met
North Middlesex University Hospital NHS Trust (North Middlesex Hospital)	London (North)	NHS North Central London	2%	Met	45%	Not Met
Nuffield Health (Nuffield Health at St. Bartholomew's Hospital)	London (North)	NHS North East London	2%	Met	72%	Met
Royal Free London NHS Foundation Trust (Chase Farm Hospital and Barnet Hospital)	London (North)	NHS North Central London	4%	Met	38%	Not Met
Royal Free London NHS Foundation Trust (Royal Free Hospital)	London (North)	NHS North Central London	19%	Met	75%	Met
The Hillingdon Hospitals NHS Foundation Trust (Hillingdon Hospital)	London (North)	NHS North West London	0%	Met	83%	Met

Trust Name	Network	ICB	% of patients seen at Early who were not successfully transferred to core/onward referral	Standard 1 Met/Not Met (<30% not transferred to Core/onward referral)	% referred within 3 days of initiating event	Standard 2 Met/Not Met (>60% referred within 3 days)
Guy's and St Thomas' NHS Foundation Trust (St. Thomas' Hospital)	London (South)	NHS South East London	13%	Met	41%	Not Met
King's College Hospital NHS Foundation Trust (King's College Hospital (Denmark Hill))	London (South)	NHS South East London	2%	Met	43%	Not Met
Kings College Hospital NHS Foundation Trust (Princess Royal University Hospital)	London (South)	NHS South East London	Insufficient Number of Starters for Valid Data Reporting			
Kingston and Richmond NHS Foundation Trust (Hounslow and Richmond Community Cardiac Rehab Service)	London (South)	NHS South West London	Insufficient Number of Starters for Valid Data Reporting			
Lewisham and Greenwich NHS Trust (University Hospital Lewisham)	London (South)	NHS South East London	Insufficient Number of Starters for Valid Data Reporting			
St George's University Hospitals NHS Foundation Trust (St George's Hospital (Tooting))	London (South)	NHS South West London	Insufficient Number of Starters for Valid Data Reporting			
Your Healthcare CIC (Kingston Community Cardiac Prevention and Rehabilitation Programme)	London (South)	NHS South West London	Insufficient Number of Starters for Valid Data Reporting			
Gateshead Health NHS Foundation Trust (Queen Elizabeth Hospital)	North East	NHS North East and North Cumbria	28%	Met	87%	Met
Newcastle upon Tyne Hospitals NHS Foundation Trust (Freeman Hospital)	North East	NHS North East and North Cumbria	60%	Not Met	40%	Not Met
North Cumbria Integrated Care NHS Foundation Trust (Cumberland Infirmary)	North East	NHS North East and North Cumbria	1%	Met	65%	Met
North Cumbria Integrated Care NHS Foundation Trust (West Cumberland Hospital)	North East	NHS North East and North Cumbria	1%	Met	80%	Met
North Tees and Hartlepool NHS Foundation Trust (University Hospital of North Tees – Phase 1)	North East	NHS North East and North Cumbria	2%	Met	62%	Met
Northumbria Healthcare NHS Foundation Trust (Central/South East, North and West & Community Cardiology)	North East	NHS North East and North Cumbria	Insufficient Number of Starters for Valid Data Reporting			

Trust Name	Network	ICB	% of patients seen at Early who were not successfully transferred to core/onward referral	Standard 1 Met/Not Met (<30% not transferred to Core/onward referral)	% referred within 3 days of initiating event	Standard 2 Met/Not Met (>60% referred within 3 days)
South Tyneside and Sunderland NHS Foundation Trust (Sunderland Royal Hospital & South Tyneside District General Hospital)	North East	NHS North East and North Cumbria	43%	Not Met	23%	Not Met
Ashford and St. Peters Hospital NHS Trust (Ashford Hospital and St Peters Hospital)	South East	NHS Surrey Heartlands	41%	Not Met	100%	Met
Dartford and Gravesham NHS Trust (Darent Valley Hospital)	South East	NHS Kent and Medway	Insufficient Number of Starters for Valid Data Reporting			
East Sussex Healthcare NHS Trust (Conquest Hospital)	South East	NHS Sussex	39%	Not Met	67%	Met
East Sussex Healthcare NHS Trust (Eastbourne District General Hospital)	South East	NHS Sussex	6%	Met	81%	Met
First Community Healthcare	South East	NHS Surrey Heartlands	Insufficient Number of Starters for Valid Data Reporting			
Frimley Health NHS Foundation Trust (Frimley Park Hospital)	South East	NHS Frimley	11%	Met	91%	Met
Frimley Health NHS Foundation Trust (Wexham Park Hospital)	South East	NHS Frimley	10%	Met	77%	Met
Hampshire Hospitals NHS Foundation Trust (Basingstoke & North Hampshire Hospital and Royal Hampshire Hospital)	South East	NHS Hampshire and Isle of Wight	Insufficient Number of Starters for Valid Data Reporting			
Isle of Wight NHS Trust (St Mary's Hospital)	South East	NHS Hampshire and Isle of Wight	2%	Met	13%	Not Met
Kent Community Health NHS Foundation Trust	South East	NHS Kent and Medway	Insufficient Number of Starters for Valid Data Reporting			
Maidstone and Tunbridge Wells NHS Trust (Maidstone Hospital)	South East	NHS Kent and Medway	1%	Met	73%	Met
Maidstone and Tunbridge Wells NHS Trust (Tunbridge Wells Hospital)	South East	NHS Kent and Medway	1%	Met	77%	Met
Oxford University Hospitals NHS Foundation Trust (Horton General Hospital and John Radcliffe Hospital)	South East	NHS Buckinghamshire, Oxfordshire and Berkshire West	48%	Not Met	94%	Met
Portsmouth Hospitals University NHS Trust (Queen Alexandra Hospital)	South East	NHS Hampshire and Isle of Wight	7%	Met	96%	Met

Trust Name	Network	ICB	% of patients seen at Early who were not successfully transferred to core/onward referral	Standard 1 Met/Not Met (<30% not transferred to Core/onward referral)	% referred within 3 days of initiating event	Standard 2 Met/Not Met (>60% referred within 3 days)
Royal Surrey NHS Foundation Trust (Royal Surrey County Hospital)	South East	NHS Surrey Heartlands	Insufficient Number of Starters for Valid Data Reporting			
Surrey and Sussex Healthcare NHS Trust (Crawley Hospital and East Surrey Hospital)	South East	NHS Surrey Heartlands	49%	Not Met	99%	Met
University Hospital Southampton NHS Foundation Trust – Phase 1	South East	NHS Hampshire and Isle of Wight	50%	Not Met	18%	Not Met
University Hospitals Sussex NHS Foundation Trust (Princess Royal Hospital)	South East	NHS Sussex	1%	Met	25%	Not Met
University Hospitals Sussex NHS Foundation Trust (Royal Sussex County Hospital)	South East	NHS Sussex	7%	Met	92%	Met
University Hospitals Sussex NHS Foundation Trust (Southlands Hospital)	South East	NHS Sussex	Insufficient Number of Starters for Valid Data Reporting			
University Hospitals Sussex NHS Foundation Trust (St Richards Hospital)	South East	NHS Sussex	Insufficient Number of Starters for Valid Data Reporting			
Rotherham NHS Foundation Trust (Rotherham District General Hospital and Rotherham Community Health Centre)	South Yorkshire	NHS South Yorkshire	0%	Met	7%	Not Met
Cornwall Partnership NHS Foundation Trust (Liskeard Community Hospital, Royal Cornwall Hospital, Mid Cornwall and West Cornwall/Isles of Scilly)	SW (Peninsula)	NHS Cornwall and The Isles of Scilly	19%	Met	82%	Met
Royal Devon University Healthcare NHS Foundation Trust (North Devon District Hospital)	SW (Peninsula)	NHS Devon	Insufficient Number of Starters for Valid Data Reporting			
Royal Devon University Healthcare NHS Foundation Trust (Royal Devon and Exeter Hospital (Wonford) & Westbank Community Care)	SW (Peninsula)	NHS Devon	0%	Met	97%	Met
Torbay and South Devon NHS Foundation Trust (Torbay Hospital)	SW (Peninsula)	NHS Devon	3%	Met	78%	Met
George Eliot Hospital NHS Trust (George Eliot Hospital)	West Midlands	NHS Coventry and Warwickshire	8%	Met	83%	Met

Trust Name	Network	ICB	% of patients seen at Early who were not successfully transferred to core/onward referral	Standard 1 Met/Not Met (<30% not transferred to Core/onward referral)	% referred within 3 days of initiating event	Standard 2 Met/Not Met (>60% referred within 3 days)
Sandwell and West Birmingham Hospitals NHS Trust (City Hospital and Sandwell General Hospital)	West Midlands	NHS Black Country	14%	Met	74%	Met
Shrewsbury and Telford Hospital NHS Trust (Royal Shrewsbury Hospital and The Princess Royal Hospital)	West Midlands	NHS Shropshire, Telford and Wrekin	10%	Met	64%	Met
The Royal Wolverhampton Hospitals NHS Trust (New Cross Hospital and Cannock Chase Hospital)	West Midlands	NHS Black Country	43%	Not Met	46%	Not Met
University Hospitals Birmingham NHS Foundation Trust (Good Hope Hospital)	West Midlands	NHS Birmingham and Solihull	23%	Met	68%	Met
University Hospitals Birmingham NHS Foundation Trust (Heartlands Hospital and Solihull Hospital)	West Midlands	NHS Birmingham and Solihull	12%	Met	79%	Met
University Hospitals Coventry and Warwickshire NHS Trust (University Hospital, Coventry and Hospital of St Cross)	West Midlands	NHS Coventry and Warwickshire	8%	Met	67%	Met
University Hospitals of Derby and Burton NHS Foundation Trust (Queen's Hospital)	West Midlands	NHS Staffordshire and Stoke-on-Trent	13%	Met	74%	Met
Walsall Cardiac Rehabilitation Trust (Heart Care)	West Midlands	NHS Black Country	Insufficient Number of Starters for Valid Data Reporting			
Worcestershire Acute Hospitals NHS Trust (Alexandra Hospital)	West Midlands	NHS Herefordshire and Worcestershire	2%	Met	99%	Met
Worcestershire Acute Hospitals NHS Trust (Kidderminster Hospital)	West Midlands	NHS Herefordshire and Worcestershire	Insufficient Number of Starters for Valid Data Reporting			
Worcestershire Acute Hospitals NHS Trust (Worcestershire Royal Hospital)	West Midlands	NHS Herefordshire and Worcestershire	0%	Met	99%	Met
Wye Valley NHS Trust (Hereford County Hospital, Leominster and Ross on Wye)	West Midlands	NHS Herefordshire and Worcestershire	11%	Met	33%	Not Met
Dorset County Hospital NHS Foundation Trust (Dorset County Hospital)	West of England	NHS Dorset	1%	Met	50%	Not Met
Gloucestershire Health and Care NHS Foundation Trust (Gloucestershire Care Services)	West of England	NHS Gloucestershire	Insufficient Number of Starters for Valid Data Reporting			

Trust Name	Network	ICB	% of patients seen at Early who were not successfully transferred to core/onward referral	Standard 1 Met/Not Met (<30% not transferred to Core/onward referral)	% referred within 3 days of initiating event	Standard 2 Met/Not Met (>60% referred within 3 days)
Great Western Hospitals NHS Foundation Trust	West of England	NHS Bath and North East Somerset, Swindon and Wiltshire	15%	Met	59%	Met
North Bristol NHS Trust (Southmead Hospital)	West of England	NHS Bristol, North Somerset and South Gloucestershire	Insufficient Number of Starters for Valid Data Reporting			
Royal United Hospital Bath NHS Foundation Trust (Royal United Hospital)	West of England	NHS Bath and North East Somerset, Swindon and Wiltshire	24%	Met	62%	Met
Salisbury NHS Foundation Trust (Salisbury District Hospital)	West of England	NHS Bath and North East Somerset, Swindon and Wiltshire	Insufficient Number of Starters for Valid Data Reporting			
University Hospitals Bristol and Weston NHS Foundation Trust (Bristol Royal Infirmary and Weston General Hospital)	West of England	NHS Bristol, North Somerset and South Gloucestershire	1%	Met	50%	Not Met
University Hospitals Dorset NHS Foundation Trust (Poole General Hospital & Royal Bournemouth Hospital)	West of England	NHS Dorset	2%	Met	60%	Met
Bradford Teaching Hospitals NHS Foundation Trust (Bradford Royal Infirmary, St Lukes Hospital, Queensbury Health Centre and Eccleshill Clinic)	West Yorkshire	NHS West Yorkshire	0%	Met	23%	Not Met
Calderdale and Huddersfield NHS Foundation Trust (Calderdale Royal Hospital)	West Yorkshire	NHS West Yorkshire	Insufficient Number of Starters for Valid Data Reporting			
Locala Community Partnership CIC (Huddersfield)	West Yorkshire	NHS West Yorkshire	0%	Met	43%	Not Met
Mid Yorkshire Hospitals NHS Trust (Pinderfields Hospital, Pontefract General Infirmary, Dewsbury & District Hospital)	West Yorkshire	NHS West Yorkshire	4%	Met	36%	Not Met

Health and Social Care Trust/Programme Name	% of patients seen at Early who were not successfully transferred to core/onward referral	Standard 1 Met/Not Met (<30% not transferred to Core/onward referral)	% referred within 3 days of initiating event	Standard 2 Met/Not Met (>60% referred within 3 days)
Belfast Health and Social Care Trust (Belfast City Hospital, Royal Victoria Hospital and Mater Hospital)	2%	Met	62%	Met
Northern Health and Social Care Trust (Antrim Area Hospital, Whiteabbey Hospital, Mid-Ulster Hospital, Causeway Hospital)	4%	Met	63%	Met
South Eastern Health and Social Care Trust (Downe Hospital)	0%	Met	10%	Not Met
South Eastern Health and Social Care Trust (Lagan Valley Hospital)	19%	Met	24%	Not Met
South Eastern Health and Social Care Trust (Ulster Hospital)	Insufficient Number of Starters for Valid Data Reporting			
Southern Health and Social Care Trust (Craigavon Area Hospital)	Insufficient Number of Starters for Valid Data Reporting			
Southern Health and Social Care Trust (Daisy Hill Hospital)	Insufficient Number of Starters for Valid Data Reporting			

Health Board/Programme Name	% of patients seen at Early who were not successfully transferred to core/onward referral	Standard 1 Met/Not Met (<30% not transferred to Core/onward referral)	% referred within 3 days of initiating event	Standard 2 Met/Not Met (>60% referred within 3 days)
Aneurin Bevan University Health Board (Nevill Hall Hospital, County Hospital, Ysbyty Ystrad Fawr and St Woolos)	Insufficient Number of Starters for Valid Data Reporting			
Betsi Cadwaladr University Health Board (Wrexham Maelor Hospital)	Insufficient Number of Starters for Valid Data Reporting			
Cardiff and Vale University Health Board (University Hospital of Wales and Llandough Hospital)	19%	Met	61%	Met
Cwm Taf Morgannwg University Health Board (Princess of Wales Hospital)	2%	Met	14%	Not Met
Cwm Taf Morgannwg University Health Board (Royal Glamorgan Hospital and Prince Charles Hospital)	6%	Met	21%	Not Met
Hywel Dda University Health Board (Bronglais Hospital)	Insufficient Number of Starters for Valid Data Reporting			
Hywel Dda University Health Board (Glangwili Hospital and Prince Philip Hospital)	18%	Met	49%	Not Met
Hywel Dda University Health Board (Haverfordwest Health Care Centre)	10%	Met	16%	Not Met