

EARLY CR REPORT

This supplement shows the percentage of patients who were seen at Phase 1/Early and **NOT** referred to Phase 3/Core rehab (Standard 1) plus the percentage referred within 3 days (Standard 2) (based on NHS England Best Practice Tariff). Data used was from digitally entered data into NACR from Jan-Dec 2024. (England grouped by Network; Northern Ireland by Health and Social Care Trust; Wales by Health Board).

Insufficient Number of Phase 1/Early Records for Valid Data Reporting = less than 30

Trust Name	Region/Network	ICB	Standard 1 <30%		Standard 2 >60%	
			% of patients seen at Early who were not successfully transferred to core/onward referral	Met/Not Met (<30% not transferred to core/onward referral)	% referred to Phase 1/Early within 3 days of initiating event (target >60%)	Met/Not Met (>60% referred within 3 days)
Countess of Chester Hospital NHS Foundation Trust (Countess of Chester Hospital)	Cheshire & Merseyside	NHS Cheshire and Merseyside	5%	Met	23%	Not Met
East Cheshire NHS Trust (Macclesfield District General Hospital)	Cheshire & Merseyside	NHS Cheshire and Merseyside	0%	Met	28%	Not Met
Liverpool Heart and Chest Hospital NHS Foundation Trust (Knowsley Community CVD Service)	Cheshire & Merseyside	NHS Cheshire and Merseyside	22%	Met	42%	Not Met
Liverpool University Hospitals NHS Foundation Trust (Broadgreen Hospital and Royal Liverpool University Hospital)	Cheshire & Merseyside	NHS Cheshire and Merseyside	5%	Met	52%	Not Met
Mersey and West Lancashire Teaching Hospitals NHS Trust (Ormskirk District General Hospital & Southport and Formby District General Hospital)	Cheshire & Merseyside	NHS Cheshire and Merseyside	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Mersey and West Lancashire Teaching Hospitals NHS Trust (St Helens Community)	Cheshire & Merseyside	NHS Cheshire and Merseyside	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Mid Cheshire Hospitals NHS Foundation Trust (Leighton Hospital)	Cheshire & Merseyside	NHS Cheshire and Merseyside	3%	Met	39%	Not Met
Warrington and Halton Teaching Hospitals NHS Foundation Trust (Halton Hospital and Warrington)	Cheshire & Merseyside	NHS Cheshire and Merseyside	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Chesterfield Royal Hospital NHS Foundation Trust (Chesterfield Royal Hospital)	East Midlands	NHS Derby and Derbyshire	4%	Met	79%	Met
Doncaster and Bassetlaw Hospitals NHS Foundation Trust (Bassetlaw Hospital)	East Midlands	NHS Nottingham and Nottinghamshire	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			

Trust Name	Region/Network	ICB	Standard 1 <30%		Standard 2 >60%	
			% of patients seen at Early who were not successfully transferred to core/onward referral	Met/Not Met (<30% not transferred to core/onward referral)	% referred to Phase 1/Early within 3 days of initiating event (target >60%)	Met/Not Met (>60% referred within 3 days)
Kettering General Hospital NHS Trust (Kettering General Hospital)	East Midlands	NHS Northamptonshire	0%	Met	57%	Not Met
Northampton General Hospital NHS Trust (Northampton General Hospital (Acute))	East Midlands	NHS Northamptonshire	71%	Not Met	43%	Not Met
Sherwood Forest Hospitals NHS Foundation Trust (King's Mill Hospital)	East Midlands	NHS Nottingham and Nottinghamshire	25%	Met	58%	Not Met
Sherwood Forest Hospitals NHS Foundation Trust (Newark Hospital)	East Midlands	NHS Nottingham and Nottinghamshire	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
University Hospitals of Derby and Burton NHS Foundation Trust (Royal Derby Hospital and Ilkeston Community Hospital)	East Midlands	NHS Derby and Derbyshire	56%	Not Met	1%	Not Met
Bedfordshire Hospitals NHS Foundation Trust (Bedford Heart Beat - Bedford Hospital)	East of England	NHS Bedfordshire, Luton and Milton Keynes	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Bedfordshire Hospitals NHS Foundation Trust (Luton and Dunstable Hospital)	East of England	NHS Bedfordshire, Luton and Milton Keynes	30%	Not Met	76%	Met
Cambridge University Hospital NHS Foundation Trust (Addenbrooke's Hospital)	East of England	NHS Cambridgeshire and Peterborough	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Cambridgeshire & Peterborough NHS Foundation Trust (Doddington Community Hospital)	East of England	NHS Cambridgeshire and Peterborough	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
East and North Hertfordshire NHS Trust (Queen Elizabeth II Hospital and Lister Hospital)	East of England	NHS Hertfordshire and West Essex	7%	Met	73%	Met
East Coast Community Healthcare CIC (Great Yarmouth and Waveney)	East of England	NHS Norfolk and Waveney	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
East Suffolk and North Essex NHS Foundation Trust (Colchester General Hospital)	East of England	NHS Suffolk and North East Essex	53%	Not Met	21%	Not Met
East Suffolk and North Essex NHS Foundation Trust (East Suffolk Cardiac Rehab)	East of England	NHS Suffolk and North East Essex	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
East Suffolk and North Essex NHS Foundation Trust (North East Essex Community Cardiac Rehab)	East of England	NHS Suffolk and North East Essex	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Mid and South Essex NHS Foundation Trust (Broomfield Hospital)	East of England	NHS Mid and South Essex	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			

Trust Name	Region/Network	ICB	Standard 1 <30%		Standard 2 >60%	
			% of patients seen at Early who were not successfully transferred to core/onward referral	Met/Not Met (<30% not transferred to core/onward referral)	% referred to Phase 1/Early within 3 days of initiating event (target >60%)	Met/Not Met (>60% referred within 3 days)
Mid and South Essex NHS Foundation Trust (Southend Hospital)	East of England	NHS Mid and South Essex	3%	Met	95%	Met
Mid and South Essex NHS Foundation Trust (The Essex Cardiothoracic Centre)	East of England	NHS Mid and South Essex	13%	Met	62%	Met
Milton Keynes University Hospital NHS Foundation Trust (Milton Keynes University Hospital)	East of England	NHS Bedfordshire, Luton and Milton Keynes	39%	Not Met	45%	Not Met
Norfolk and Norwich University Hospital NHS Trust (Norfolk and Norwich University Hospital)	East of England	NHS Norfolk and Waveney	0%	Met	100%	Met
Norfolk Community Health and Care NHS Trust	East of England	NHS Norfolk and Waveney	0%	Met	77%	Met
North West Anglia NHS Foundation Trust (Peterborough City Hospital and CPFT Community Cardiac Rehabilitation)	East of England	NHS Cambridgeshire and Peterborough	2%	Met	10%	Not Met
Royal Papworth Hospital NHS Foundation Trust (Royal Papworth Hospital)	East of England	NHS Cambridgeshire and Peterborough	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
West Hertfordshire Teaching Hospitals NHS Trust (Watford General Hospital Phase 1)	East of England	NHS Hertfordshire and West Essex	47%	Not Met	46%	Not Met
BOC Healthcare (Heywood, Middleton & Rochdale Cardiac Rehabilitation Service)	Greater Manchester	NHS Greater Manchester	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Bolton Hospitals NHS Trust (Royal Bolton Hospital and Royal Bolton Heart Failure Rehab)	Greater Manchester	NHS Greater Manchester	16%	Met	68%	Met
Manchester University NHS Foundation Trust (Manchester Heart Centre / Manchester Royal Infirmary)	Greater Manchester	NHS Greater Manchester	16%	Met	88%	Met
Manchester University NHS Foundation Trust (Wythenshawe Hospital & South Manchester Community)	Greater Manchester	NHS Greater Manchester	45%	Not Met	37%	Not Met
Northern Care Alliance NHS Foundation Trust (Bury Care Organisation)	Greater Manchester	NHS Greater Manchester	12%	Met	88%	Met
Northern Care Alliance NHS Foundation Trust (Oldham Care Organisation)	Greater Manchester	NHS Greater Manchester	35%	Not Met	78%	Met
Northern Care Alliance NHS Foundation Trust (Salford Royal Hospital)	Greater Manchester	NHS Greater Manchester	42%	Not Met	22%	Not Met

Trust Name	Region/Network	ICB	Standard 1 <30%		Standard 2 >60%	
			% of patients seen at Early who were not successfully transferred to core/onward referral	Met/Not Met (<30% not transferred to core/onward referral)	% referred to Phase 1/Early within 3 days of initiating event (target >60%)	Met/Not Met (>60% referred within 3 days)
Stockport NHS Foundation Trust (Stepping Hill Hospital)	Greater Manchester	NHS Greater Manchester	38%	Not Met	58%	Not Met
Wrightington, Wigan and Leigh Teaching Hospitals NHS Foundation Trust (Community Cardiac Rehabilitation)	Greater Manchester	NHS Greater Manchester	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
City Health Care Partnership CIC (Hull and East Riding)	Humber and North Yorkshire	NHS Humber and North Yorkshire	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Harrogate and District NHS Foundation Trust (Harrogate District Hospital)	Humber and North Yorkshire	NHS Humber and North Yorkshire	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Northern Lincolnshire and Goole Hospitals NHS Foundation Trust (Diana, Princess of Wales Hospital)	Humber and North Yorkshire	NHS Humber and North Yorkshire	5%	Met	58%	Not Met
Northern Lincolnshire and Goole Hospitals NHS Foundation Trust (Scunthorpe General Hospital)	Humber and North Yorkshire	NHS Humber and North Yorkshire	2%	Met	55%	Not Met
York and Scarborough Teaching Hospitals NHS Foundation Trust (York Hospital / Community CR & Heart Failure Rehab)	Humber and North Yorkshire	NHS Humber and North Yorkshire	4%	Met	44%	Not Met
Blackpool, Fylde and Wyre Hospitals NHS Foundation Trust (Blackpool Victoria Hospital)	Lancashire & South Cumbria	NHS Lancashire and South Cumbria	8%	Met	98%	Met
East Lancashire Hospitals NHS Trust (Royal Blackburn Hospital / Burnley Hospital)	Lancashire & South Cumbria	NHS Lancashire and South Cumbria	0%	Met	42%	Not Met
University Hospitals of Morecambe Bay NHS Foundation Trust (Furness General Hospital)	Lancashire & South Cumbria	NHS Lancashire and South Cumbria	15%	Met	79%	Met
University Hospitals of Morecambe Bay NHS Foundation Trust (Royal Lancaster Infirmary)	Lancashire & South Cumbria	NHS Lancashire and South Cumbria	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
University Hospitals of Morecambe Bay NHS Foundation Trust (Westmorland General Hospital)	Lancashire & South Cumbria	NHS Lancashire and South Cumbria	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Barts Health NHS Trust (Barts Heart Centre)	London (North)	NHS North East London	8%	Met	46%	Not Met
Barts Health NHS Trust (Whipps Cross University Hospital)	London (North)	NHS North East London	0%	Met	2%	Not Met
Central and North West London NHS Foundation Trust (Hillingdon Community Cardiac Rehab)	London (North)	NHS North West London	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			

Trust Name	Region/Network	ICB	Standard 1 <30%		Standard 2 >60%	
			% of patients seen at Early who were not successfully transferred to core/onward referral	Met/Not Met (<30% not transferred to core/onward referral)	% referred to Phase 1/Early within 3 days of initiating event (target >60%)	Met/Not Met (>60% referred within 3 days)
Central London Community Healthcare NHS Trust (Harrow Community Services)	London (North)	NHS North West London	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
East London NHS Foundation Trust (Newham Cardiac Rehab Services)	London (North)	NHS North East London	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Guy's and St Thomas' NHS Foundation Trust (Royal Brompton and Harefield NHS Hospitals Clinical Group (Care for your Heart, Harefield))	London (North)	NHS North West London	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Homerton University Hospital NHS Foundation Trust (Homerton University Hospital)	London (North)	NHS North East London	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
London North West University Healthcare NHS Trust (Northwick Park Hospital and Ealing Hospital)	London (North)	NHS North West London	5%	Met	76%	Met
Nuffield Health (Nuffield Health at St. Bartholomew's Hospital)	London (North)	NHS North East London	15%	Met	47%	Not Met
Royal Free London NHS Foundation Trust (Chase Farm Hospital and Barnet Hospital)	London (North)	NHS North Central London	1%	Met	92%	Met
Royal Free London NHS Foundation Trust (North Middlesex Hospital)	London (North)	NHS North Central London	0%	Met	34%	Not Met
Royal Free London NHS Foundation Trust (Royal Free Hospital)	London (North)	NHS North Central London	2%	Met	74%	Met
The Hillingdon Hospitals NHS Foundation Trust (Hillingdon Hospital)	London (North)	NHS North West London	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Epsom and St Helier University Hospitals NHS Trust (St Helier Hospital)	London (South)	NHS South West London	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Guy's and St Thomas' NHS Foundation Trust (St. Thomas' Hospital)	London (South)	NHS South East London	10%	Met	37%	Not Met
King's College Hospital NHS Foundation Trust (King's College Hospital (Denmark Hill))	London (South)	NHS South East London	2%	Met	3%	Not Met
Kings College Hospital NHS Foundation Trust (Princess Royal University Hospital)	London (South)	NHS South East London	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Lewisham and Greenwich NHS Trust (University Hospital Lewisham)	London (South)	NHS South East London	0%	Met	19%	Not Met
St George's University Hospitals NHS Foundation Trust (St George's Hospital (Tooting))	London (South)	NHS South West London	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			

Trust Name	Region/Network	ICB	Standard 1 <30%		Standard 2 >60%	
			% of patients seen at Early who were not successfully transferred to core/onward referral	Met/Not Met (<30% not transferred to core/onward referral)	% referred to Phase 1/Early within 3 days of initiating event (target >60%)	Met/Not Met (>60% referred within 3 days)
Your Healthcare CIC (Kingston Community Cardiac Prevention and Rehabilitation Programme)	London (South)	NHS South West London	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Gateshead Health NHS Foundation Trust (Queen Elizabeth Hospital)	North East	NHS North East and North Cumbria	38%	Not Met	88%	Met
Newcastle upon Tyne Hospitals NHS Foundation Trust (Freeman Hospital)	North East	NHS North East and North Cumbria	15%	Met	26%	Not Met
North Cumbria Integrated Care NHS Foundation Trust (Cumberland Infirmary)	North East	NHS North East and North Cumbria	0%	Met	70%	Met
North Cumbria Integrated Care NHS Foundation Trust (West Cumberland Hospital)	North East	NHS North East and North Cumbria	2%	Met	71%	Met
North Tees and Hartlepool NHS Foundation Trust (Community Services)	North East	NHS North East and North Cumbria	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
North Tees and Hartlepool NHS Foundation Trust (University Hospital of North Tees – Phase 1)	North East	NHS North East and North Cumbria	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Northumbria Healthcare NHS Foundation Trust (Central/South East, North and West & Community Cardiology)	North East	NHS North East and North Cumbria	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
South Tyneside and Sunderland NHS Foundation Trust (Sunderland Royal Hospital & South Tyneside District General Hospital)	North East	NHS North East and North Cumbria	41%	Not Met	11%	Not Met
Ashford and St. Peters Hospital NHS Trust (Ashford Hospital and St Peters Hospital)	South East	NHS Surrey Heartlands	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Berkshire Healthcare NHS Foundation Trust (West Berkshire Community CR)	South East	NHS Buckinghamshire, Oxfordshire and Berkshire West	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Dartford and Gravesham NHS Trust (Darent Valley Hospital)	South East	NHS Kent and Medway	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
East Sussex Healthcare NHS Trust (Conquest Hospital)	South East	NHS Sussex	33%	Not Met	72%	Met
East Sussex Healthcare NHS Trust (Eastbourne District General Hospital)	South East	NHS Sussex	4%	Met	87%	Met

Trust Name	Region/Network	ICB	Standard 1 <30%		Standard 2 >60%	
			% of patients seen at Early who were not successfully transferred to core/onward referral	Met/Not Met (<30% not transferred to core/onward referral)	% referred to Phase 1/Early within 3 days of initiating event (target >60%)	Met/Not Met (>60% referred within 3 days)
First Community Healthcare	South East	NHS Surrey Heartlands	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Frimley Health NHS Foundation Trust (Frimley Park Hospital)	South East	NHS Frimley	3%	Met	85%	Met
Frimley Health NHS Foundation Trust (Wexham Park Hospital)	South East	NHS Frimley	5%	Met	76%	Met
Isle of Wight NHS Trust (St Mary's Hospital)	South East	NHS Hampshire and Isle of Wight	9%	Met	17%	Not Met
Kent Community Health NHS Foundation Trust	South East	NHS Kent and Medway	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Maidstone and Tunbridge Wells NHS Trust (Maidstone Hospital)	South East	NHS Kent and Medway	2%	Met	79%	Met
Maidstone and Tunbridge Wells NHS Trust (Tunbridge Wells Hospital)	South East	NHS Kent and Medway	2%	Met	80%	Met
Oxford University Hospitals NHS Foundation Trust (Horton General Hospital and John Radcliffe Hospital)	South East	NHS Buckinghamshire, Oxfordshire and Berkshire West	27%	Met	91%	Met
Portsmouth Hospitals University NHS Trust (Queen Alexandra Hospital)	South East	NHS Hampshire and Isle of Wight	7%	Met	82%	Met
Royal Surrey NHS Foundation Trust (Royal Surrey County Hospital)	South East	NHS Surrey Heartlands	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Surrey and Sussex Healthcare NHS Trust (Crawley Hospital and East Surrey Hospital)	South East	NHS Surrey Heartlands	44%	Not Met	87%	Met
University Hospital Southampton NHS Foundation Trust – Phase 1	South East	NHS Hampshire and Isle of Wight	4%	Met	20%	Not Met
University Hospitals Sussex NHS Foundation Trust (Princess Royal Hospital)	South East	NHS Sussex	1%	Met	25%	Not Met
University Hospitals Sussex NHS Foundation Trust (Royal Sussex County Hospital)	South East	NHS Sussex	5%	Met	88%	Met
University Hospitals Sussex NHS Foundation Trust (Southlands Hospital)	South East	NHS Sussex	14%	Met	55%	Not Met
University Hospitals Sussex NHS Foundation Trust (St Richards Hospital)	South East	NHS Sussex	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			

Trust Name	Region/Network	ICB	Standard 1 <30%		Standard 2 >60%	
			% of patients seen at Early who were not successfully transferred to core/onward referral	Met/Not Met (<30% not transferred to core/onward referral)	% referred to Phase 1/Early within 3 days of initiating event (target >60%)	Met/Not Met (>60% referred within 3 days)
Rotherham NHS Foundation Trust (Rotherham District General Hospital and Rotherham Community Health Centre)	South Yorkshire	NHS South Yorkshire	1%	Met	14%	Not Met
Sheffield Teaching Hospitals NHS Foundation Trust (Community Cardiac Rehabilitation Programme)	South Yorkshire	NHS South Yorkshire	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
South West Yorkshire Partnership NHS Foundation Trust (Barnsley Cardiac and Pulmonary Rehabilitation Service)	South Yorkshire	NHS South Yorkshire	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Cornwall Partnership NHS Foundation Trust (Liskeard Community Hospital, Royal Cornwall Hospital, Mid Cornwall and West Cornwall/Isles of Scilly)	SW (Peninsula)	NHS Cornwall and The Isles of Scilly	15%	Met	84%	Met
Royal Devon University Healthcare NHS Foundation Trust (North Devon District Hospital)	SW (Peninsula)	NHS Devon	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Royal Devon University Healthcare NHS Foundation Trust (Royal Devon and Exeter Hospital (Wonford) & Westbank Community Care)	SW (Peninsula)	NHS Devon	0%	Met	96%	Met
Torbay and South Devon NHS Foundation Trust (Torbay Hospital)	SW (Peninsula)	NHS Devon	0%	Met	84%	Met
George Eliot Hospital NHS Trust (George Eliot Hospital)	West Midlands	NHS Coventry and Warwickshire	18%	Met	94%	Met
Sandwell and West Birmingham Hospitals NHS Trust (City Hospital and Sandwell General Hospital)	West Midlands	NHS Black Country	8%	Met	68%	Met
Shrewsbury and Telford Hospital NHS Trust (Royal Shrewsbury Hospital and The Princess Royal Hospital)	West Midlands	NHS Shropshire, Telford and Wrekin	40%	Not Met	52%	Not Met
The Royal Wolverhampton Hospitals NHS Trust (New Cross Hospital and Cannock Chase Hospital)	West Midlands	NHS Black Country	0%	Met	51%	Not Met
University Hospitals Birmingham NHS Foundation Trust (Good Hope Hospital)	West Midlands	NHS Birmingham and Solihull	28%	Met	65%	Met

Trust Name	Region/Network	ICB	Standard 1 <30%		Standard 2 >60%	
			% of patients seen at Early who were not successfully transferred to core/onward referral	Met/Not Met (<30% not transferred to core/onward referral)	% referred to Phase 1/Early within 3 days of initiating event (target >60%)	Met/Not Met (>60% referred within 3 days)
University Hospitals Birmingham NHS Foundation Trust (Heartlands Hospital and Solihull Hospital)	West Midlands	NHS Birmingham and Solihull	6%	Met	82%	Met
University Hospitals Coventry and Warwickshire NHS Trust (University Hospital, Coventry and Hospital of St Cross)	West Midlands	NHS Coventry and Warwickshire	6%	Met	63%	Met
University Hospitals of Derby and Burton NHS Foundation Trust (Queen's Hospital)	West Midlands	NHS Staffordshire and Stoke-on-Trent	20%	Met	69%	Met
Walsall Cardiac Rehabilitation Trust (Heart Care)	West Midlands	NHS Black Country	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Worcestershire Acute Hospitals NHS Trust (Alexandra Hospital)	West Midlands	NHS Herefordshire and Worcestershire	0%	Met	99%	Met
Worcestershire Acute Hospitals NHS Trust (Kidderminster Hospital)	West Midlands	NHS Herefordshire and Worcestershire	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Worcestershire Acute Hospitals NHS Trust (Worcestershire Royal Hospital)	West Midlands	NHS Herefordshire and Worcestershire	0%	Met	99%	Met
Wye Valley NHS Trust (Hereford County Hospital, Leominster and Ross on Wye)	West Midlands	NHS Herefordshire and Worcestershire	35%	Not Met	1%	Not Met
Dorset County Hospital NHS Foundation Trust (Dorset County Hospital)	West of England	NHS Dorset	1%	Met	35%	Not Met
Great Western Hospitals NHS Foundation Trust	West of England	NHS Bath and North East Somerset, Swindon and Wiltshire	5%	Met	57%	Not Met
North Bristol NHS Trust (Southmead Hospital)	West of England	NHS Bristol, North Somerset and South Gloucestershire	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Royal United Hospital Bath NHS Foundation Trust (Royal United Hospital)	West of England	NHS Bath and North East Somerset, Swindon and Wiltshire	11%	Met	58%	Not Met
Salisbury NHS Foundation Trust (Salisbury District Hospital)	West of England	NHS Bath and North East Somerset, Swindon and Wiltshire	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			

Trust Name	Region/Network	ICB	Standard 1 <30%		Standard 2 >60%	
			% of patients seen at Early who were not successfully transferred to core/onward referral	Met/Not Met (<30% not transferred to core/onward referral)	% referred to Phase 1/Early within 3 days of initiating event (target >60%)	Met/Not Met (>60% referred within 3 days)
University Hospitals Bristol and Weston NHS Foundation Trust (Bristol Royal Infirmary and Weston General Hospital)	West of England	NHS Bristol, North Somerset and South Gloucestershire	1%	Met	67%	Met
University Hospitals Dorset NHS Foundation Trust (Poole General Hospital & Royal Bournemouth Hospital)	West of England	NHS Dorset	2%	Met	63%	Met
Bradford Teaching Hospitals NHS Foundation Trust (Bradford Royal Infirmary, St Lukes Hospital, Queensbury Health Centre and Eccleshill Clinic)	West Yorkshire	NHS West Yorkshire	0%	Met	18%	Not Met
Locala Community Partnership CIC (Huddersfield)	West Yorkshire	NHS West Yorkshire	0%	Met	34%	Not Met
Mid Yorkshire Hospitals NHS Trust (Pinderfields Hospital, Pontefract General Infirmary, Dewsbury & District Hospital)	West Yorkshire	NHS West Yorkshire	3%	Met	34%	Not Met

Trust Name	Region/Network	Standard 1 <30%		Standard 2 >60%	
		% of patients seen at Early who were not successfully transferred to core/onward referral	Met/Not Met (<30% not transferred to core/onward referral)	% referred to Phase 1/Early within 3 days of initiating event (target >60%)	Met/Not Met (>60% referred within 3 days)
Circle Health Group (Alexandra Hospital (Private))	Private	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			

Trust Name	Region/Network	Standard 1 <30%		Standard 2 >60%	
		% of patients seen at Early who were not successfully transferred to core/onward referral	Met/Not Met (<30% not transferred to core/onward referral)	% referred to Phase 1/Early within 3 days of initiating event (target >60%)	Met/Not Met (>60% referred within 3 days)
Belfast Health and Social Care Trust (Belfast City Hospital, Royal Victoria Hospital and Mater Hospital)	Belfast Health and Social Care Trust	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Northern Health and Social Care Trust (Antrim Area Hospital, Whiteabbey Hospital, Mid-Ulster Hospital, Causeway Hospital)	Northern Health and Social Care Trust	0%	Met	54%	Not Met
South Eastern Health and Social Care Trust (Ulster Hospital, Downe Hospital and Lagan Valley Hospital)	South Eastern Health and Social Care Trust	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Southern Health and Social Care Trust (Craigavon Area Hospital)	Southern Health and Social Care Trust	66%	Not Met	28%	Not Met
Southern Health and Social Care Trust (Daisy Hill Hospital)	Southern Health and Social Care Trust	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			

Trust Name	Region/Network	Standard 1 <30%		Standard 2 >60%	
		% of patients seen at Early who were not successfully transferred to core/onward referral	Met/Not Met (<30% not transferred to core/onward referral)	% referred to Phase 1/Early within 3 days of initiating event (target >60%)	Met/Not Met (>60% referred within 3 days)
Isle of Man (Nobles Hospital)	Other	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			

Trust Name	Region/Network	Standard 1 <30%		Standard 2 >60%	
		% of patients seen at Early who were not successfully transferred to core/onward referral	Met/Not Met (<30% not transferred to core/onward referral)	% referred to Phase 1/Early within 3 days of initiating event (target >60%)	Met/Not Met (>60% referred within 3 days)
Aneurin Bevan University Health Board (Nevill Hall Hospital, County Hospital, Ysbyty Ystrad Fawr and St Woolos)	Aneurin Bevan University Health Board	21%	Met	36%	Not Met
Betsi Cadwaladr University Health Board (Wrexham Maelor Hospital)	Betsi Cadwaladr University Health Board	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			
Cardiff and Vale University Health Board (University Hospital of Wales and Llandough Hospital)	Cardiff & Vale University Health Board	19%	Met	63%	Met
Cwm Taf Morgannwg University Health Board (Princess of Wales Hospital)	Cwm Taf Morgannwg University Health Board	0%	Met	11%	Not Met
Cwm Taf Morgannwg University Health Board (Royal Glamorgan Hospital and Prince Charles Hospital)	Cwm Taf Morgannwg University Health Board	3%	Met	20%	Not Met
Hywel Dda University Health Board (Glangwili Hospital and Prince Philip Hospital)	Hywel Dda University Health Board	6%	Met	28%	Not Met
Hywel Dda University Health Board (Haverfordwest Health Care Centre)	Hywel Dda University Health Board	19%	Met	12%	Not Met
Swansea Bay University Health Board (Neath/Port Talbot Hospital)	Swansea Bay University Health Board	Insufficient Number of Phase 1/Early Records for Valid Data Reporting			