

**APRIL 2022 NACR QUARTERLY REPORT ON COMORBIDITY OF ANXIETY AND DEPRESSION**  
**(Oct to Dec 2021 data; patient records were included if they had their initiating event date within the time period and sufficient sample within the named programme)**

This is the third Quarterly Report for NACR detailing demographic characteristics of patients both prior to and starting Core/Phase 3 cardiac rehabilitation (CR) at a local service level for England, Northern Ireland and Wales. The report uses 'pseudo-eligible' – i.e. patients having an initiating event recorded on NACR between October and December 2021.

Within the population receiving core CR it has been shown that >50% have at least two or more comorbidities in addition to their CVD. These include diabetes, hypertension and cancer as well as diagnosis of anxiety or depression. In wider research published using the NACR data, an association has been identified with a differing level of participation in patients with prior anxiety or depression. This quarter's report focusses on the level of burden of anxiety and depression along with the rates of participation in Core CR and the average age at a named local level.

Of the programmes included in the report, the average level of anxiety and depression was 8.6% for each condition with the average proportion of the population without either at 87.2%. The table also shows that some programmes have no patients in the pseudo-eligible group with one or both of the conditions. Accurate identification and acceptance of diverse comorbidities is extremely important due to the known association with participation. The average age across the programmes shows that those without anxiety or depression were on average five or seven years older than those with anxiety and depression respectively.

The rate of participation in this report is using the pseudo-eligible number against those that started Core rehab. This method of comparing pseudo-eligible to starting is useful as in some areas there is low to zero patients from the lower quintiles in the pseudo-eligible group, which means participation will always be lower. The aim of this report is to enable programmes to focus on their own eligible population rather than compare with others.

**NB:** This report will be rerun in July (when the next Quarterly Report is produced) to pick up additional data added after the March deadline, and to ensure that data is complete and up to date. This data should not be used as an indicator of service level uptake as the total number of eligible patients could not be verified due to Covid-19 service pressures.

Programme Code that Created the Initiating Event	Programme Name that Created the Initiating Event	Comorbidity of Anxiety or Depression								
		Neither Anxiety or Depression			Those with Comorbidity of Anxiety			Those with Comorbidity of Depression		
		Proportion of Total Records Created	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)
2792	Ashford and St. Peters Hospital NHS Trust (Ashford Hospital and St Peters Hospital)	100.0%	85.0%	65	No Patients with Comorbid Anxiety			No Patients with Comorbid Depression		
2660	Barking, Havering and Redbridge Hospitals NHS Trust (King George Hospital, Queens Hospital and Community CHD Service)	94.3%	81.0%	64	1.5%	100.0%	73	4.2%	90.9%	65
2656	Barts Health NHS Trust (Barts Heart Centre)	93.4%	41.2%	61	3.4%	66.7%	48	3.4%	66.7%	56
2654	Barts Health NHS Trust (Whipps Cross University Hospital)	94.4%	68.6%	60	1.9%	100.0%	65	3.7%	50.0%	71
2501	Bedford Hospital NHS Trust (Bedford Hospital)	88.1%	45.8%	65	6.2%	50.0%	58	6.2%	100.0%	58
3144	Berkshire Healthcare NHS Foundation Trust (Royal Berkshire Hospital and West Berkshire Community)	77.9%	73.6%	69	12.7%	100.0%	68	11.1%	100.0%	65
2577	Bolton Hospitals NHS Trust (Royal Bolton Hospital and Royal Bolton Heart Failure Rehab)	95.2%	31.1%	65	1.6%	50.0%	52	3.2%	0.0%	65
2794	Bradford Teaching Hospitals NHS Foundation Trust - Community Cardiac Rehabilitation (Bradford Royal Infirmary, St Lukes Hospital, Queensbury Health Centre and Eccleshill Clinic)	93.2%	56.5%	66	No Patients with Comorbid Anxiety			6.8%	80.0%	77
2728	Buckinghamshire Hospitals NHS Trust (Wycombe Hospital)	55.6%	80.0%	67	28.6%	75.0%	57	28.6%	75.0%	57
2772	Burton Hospitals NHS Trust (Queens Hospital)	98.5%	26.2%	68	1.5%	0.0%	71	No Patients with Comorbid Depression		
2803	Calderdale and Huddersfield NHS Foundation Trust (Calderdale Royal Hospital)	86.5%	99.0%	67	7.3%	100.0%	68	6.4%	100.0%	65
2484	Cambridgeshire & Peterborough NHS Foundation Trust (Doddington Community Hospital)	97.7%	0.0%	67	No Patients with Comorbid Anxiety			2.3%	0.0%	83
2985	Central and North West London NHS Foundation Trust (Hillingdon Community)	81.3%	0.0%	72	12.5%	0.0%	48	6.3%	0.0%	53

Programme Code that Created the Initiating Event	Programme Name that Created the Initiating Event	Comorbidity of Anxiety or Depression								
		Neither Anxiety or Depression			Those with Comorbidity of Anxiety			Those with Comorbidity of Depression		
		Proportion of Total Records Created	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)
3764	Central London Community Healthcare NHS Trust (Merton Cardiac Rehabilitation)	95.8%	37.0%	68	2.1%	0.0%	48	2.1%	0.0%	63
2668	Chesterfield Royal Hospital NHS Foundation Trust (Chesterfield Royal Hospital)	83.3%	68.5%	71	7.4%	90.9%	58	10.1%	66.7%	62
2640	City Health Care Partnership CIC (Hull)	67.5%	98.8%	67	20.8%	100.0%	64	16.0%	100.0%	62
3115	Cornwall Partnership NHS Foundation Trust (Liskeard Community Hospital, Royal Cornwall Hospital, Mid Cornwall and West Cornwall/Isles of Scilly)	84.5%	54.5%	69	8.3%	52.6%	66	7.8%	66.7%	63
3088	Countess of Chester Hospital NHS Foundation Trust (Countess of Chester Hospital)	88.5%	62.9%	71	4.7%	83.3%	58	7.0%	66.7%	61
3717	CP+R (Private)	Insufficient Data								
2698	Croydon Health Services NHS Trust (Croydon University Hospital)	94.1%	56.3%	67	No Patients with Comorbid Anxiety			5.9%	100.0%	63
2613	Dartford and Gravesham NHS Trust (Darent Valley Hospital)	96.7%	2.2%	67	1.1%	0.0%	50	2.2%	0.0%	56
2737	Derby Hospitals NHS Foundation Trust (Ilkeston Community Hospital and Royal Derby Hospital)	99.2%	25.2%	68	0.4%	0.0%	87	0.4%	0.0%	87
2667	Derbyshire Community Health Services NHS Foundation Trust (Chesterfield and Bolsover, and High Peaks and Dales)	91.7%	0.0%	68	8.3%	100.0%	82	No Patients with Comorbid Depression		
2674	Doncaster and Bassetlaw Hospitals NHS Foundation Trust (Bassetlaw Hospital)	100.0%	56.5%	64	No Patients with Comorbid Anxiety			No Patients with Comorbid Depression		
2563	Dorset County Hospital NHS Foundation Trust (Dorset County Hospital)	82.0%	80.8%	70	10.7%	100.0%	62	8.3%	100.0%	63
2502	East and North Hertfordshire NHS Trust (Queen Elizabeth II Hospital and Lister Hospital)	83.0%	39.7%	67	10.2%	77.8%	59	8.0%	57.1%	57

Programme Code that Created the Initiating Event	Programme Name that Created the Initiating Event	Comorbidity of Anxiety or Depression								
		Neither Anxiety or Depression			Those with Comorbidity of Anxiety			Those with Comorbidity of Depression		
		Proportion of Total Records Created	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)
2595	East Cheshire NHS Trust (Macclesfield District General Hospital)	73.3%	64.9%	72	12.5%	66.7%	68	15.6%	80.0%	64
2622	East Lancashire Hospitals NHS Trust (Royal Blackburn Hospital and Burnley Hospital)	100.0%	32.3%	66	No Patients with Comorbid Anxiety			No Patients with Comorbid Depression		
2655	East London NHS Foundation Trust (Newham Cardiac Rehab)	89.3%	48.0%	52	3.7%	0.0%	64	7.4%	50.0%	59
2574	East Suffolk and North Essex NHS Foundation Trust (Colchester General Hospital)	90.1%	8.5%	71	5.7%	20.0%	60	4.5%	25.0%	65
2727	East Sussex Healthcare NHS Trust (Conquest Hospital)	69.2%	77.8%	71	25.0%	100.0%	72	8.3%	100.0%	63
2724	East Sussex Healthcare NHS Trust (Eastbourne District General Hospital)	85.3%	70.3%	69	8.5%	83.3%	70	7.0%	80.0%	67
2958	Epsom and St Helier University Hospitals NHS Trust (Epsom Hospital)	Insufficient Data								
2701	Epsom and St Helier University Hospitals NHS Trust (St Helier Hospital)	100.0%	7.7%	71	No Patients with Comorbid Anxiety			No Patients with Comorbid Depression		
2790	Frimley Health NHS Foundation Trust (Frimley Park Hospital)	93.8%	63.1%	68	2.4%	100.0%	65	3.8%	62.5%	64
2735	Frimley Health NHS Foundation Trust (Wexham Park Hospital)	91.4%	64.2%	67	4.1%	71.4%	69	4.7%	75.0%	68
2551	George Eliot Hospital NHS Trust (George Eliot Hospital)	93.5%	0.0%	69	3.2%	0.0%	62	3.2%	0.0%	87
3134	Gloucestershire Health and Care NHS Foundation Trust (Gloucestershire Care Services)	72.7%	6.3%	73	10.0%	0.0%	77	20.0%	0.0%	70
2494	Great Western Hospitals NHS Foundation Trust	86.0%	68.2%	69	9.6%	68.8%	63	4.8%	87.5%	67
2779	Guys and St Thomas NHS Foundation Trust (St Thomas Hospital)	76.8%	23.3%	62	9.9%	55.6%	64	14.3%	38.5%	58

Programme Code that Created the Initiating Event	Programme Name that Created the Initiating Event	Comorbidity of Anxiety or Depression								
		Neither Anxiety or Depression			Those with Comorbidity of Anxiety			Those with Comorbidity of Depression		
		Proportion of Total Records Created	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)
2658	Homerton University Hospital NHS Foundation Trust (Homerton University Hospital)	93.2%	4.9%	62	No Patients with Comorbid Anxiety			6.8%	0.0%	58
2694	Hounslow and Richmond Community Healthcare NHS Trust (Hounslow and Richmond Community Cardiac Rehab Service)	82.0%	0.0%	65	6.3%	0.0%	62	12.5%	0.0%	62
2642	Humber Teaching NHS Foundation Trust (Scarborough, Whitby, Ryedale and Pocklington)	73.9%	58.8%	71	10.6%	85.7%	67	16.7%	45.5%	63
2693	Imperial Healthcare NHS Trust (Charing Cross Hospital/Hammersmith, Central & West London and Ealing Community)	83.8%	45.0%	62	7.2%	22.2%	58	9.6%	8.3%	58
2827	Kent Community Health NHS Foundation Trust	78.7%	97.3%	66	13.6%	100.0%	65	9.1%	100.0%	66
2634	Kettering General Hospital NHS Trust (Kettering General Hospital)	98.7%	62.5%	68	0.6%	100.0%	65	0.6%	100.0%	58
2697	Kings College Hospital NHS Foundation Trust (Princess Royal University Hospital)	92.6%	24.0%	73	3.8%	100.0%	67	3.8%	100.0%	67
2628	Lancashire Teaching Hospitals NHS Foundation Trust (Chorley & South Ribble Hospital and Royal Preston Hospital)	91.9%	61.8%	64	4.1%	100.0%	62	4.1%	66.7%	57
2780	Lewisham and Greenwich NHS Trust (University Hospital Lewisham)	87.3%	17.7%	63	5.7%	0.0%	67	7.1%	20.0%	60
2534	Liverpool University Hospitals NHS Foundation Trust (University Hospital Aintree)	91.9%	97.1%	68	2.8%	100.0%	59	5.6%	100.0%	61
2528	Liverpool University Hospitals NHS Foundation Trust (Broadgreen Hospital and Royal Liverpool University Hospital)	77.5%	74.4%	65	10.4%	90.9%	62	13.2%	85.7%	61
2800	Locala Community Partnership CIC (Huddersfield)	92.9%	30.8%	71	7.1%	100.0%	58	No Patients with Comorbid Depression		
2500	Luton and Dunstable Hospital NHS Foundation Trust (Luton and Dunstable Hospital)	93.8%	4.4%	71	2.6%	0.0%	72	3.6%	0.0%	71

Programme Code that Created the Initiating Event	Programme Name that Created the Initiating Event	Comorbidity of Anxiety or Depression								
		Neither Anxiety or Depression			Those with Comorbidity of Anxiety			Those with Comorbidity of Depression		
		Proportion of Total Records Created	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)
2615	Maidstone and Tunbridge Wells NHS Trust (Maidstone Hospital)	87.6%	56.5%	67	5.2%	60.0%	66	7.3%	57.1%	59
2619	Maidstone and Tunbridge Wells NHS Trust (Tunbridge Wells Hospital at Pembury)	88.5%	53.0%	71	8.1%	66.7%	67	3.6%	50.0%	61
2581	Manchester University NHS Foundation Trust (Manchester Heart Centre)	66.7%	60.4%	63	18.8%	41.7%	63	18.8%	41.7%	60
2590	Manchester University NHS Foundation Trust (North Manchester General Hospital)	84.5%	33.3%	67	6.0%	33.3%	54	10.0%	20.0%	57
2586	Manchester University NHS Foundation Trust (Trafford General Hospital)	72.1%	93.5%	64	12.8%	100.0%	53	17.9%	100.0%	58
2584	Manchester University NHS Foundation Trust (Wythenshawe Hospital and South Manchester Community)	90.3%	26.6%	67	4.1%	21.4%	55	5.9%	15.0%	56
2570	Mid and South Essex University Hospitals Group (Broomfield Hospital)	83.3%	63.6%	68	9.5%	100.0%	58	7.9%	100.0%	62
2576	Mid and South Essex University Hospitals Group (Essex Cardiothoracic Centre)	90.0%	44.2%	67	4.5%	57.9%	58	5.7%	54.2%	64
2580	Mid Cheshire Hospitals NHS Foundation Trust (Leighton Hospital)	87.7%	45.3%	72	8.6%	0.0%	60	4.3%	0.0%	57
2813	Mid Yorkshire Hospitals NHS Trust (Pontefract General Infirmary and Dewsbury & District Hospital)	83.1%	51.0%	67	4.7%	63.6%	61	12.8%	60.0%	59
2731	Milton Keynes Hospital NHS Foundation Trust (Milton Keynes General Hospital)	89.4%	9.2%	64	2.4%	0.0%	61	8.3%	14.3%	68
2482	Norfolk and Norwich University Hospital NHS Trust (Norfolk and Norwich University Hospital)	92.6%	98.0%	69	1.9%	100.0%	72	5.6%	100.0%	75
2479	Norfolk Community Health and Care NHS Trust (Dereham Hospital and Kelling Hospital)	78.7%	89.2%	71	11.1%	100.0%	74	11.1%	100.0%	72

Programme Code that Created the Initiating Event	Programme Name that Created the Initiating Event	Comorbidity of Anxiety or Depression								
		Neither Anxiety or Depression			Those with Comorbidity of Anxiety			Those with Comorbidity of Depression		
		Proportion of Total Records Created	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)
2905	North Cumbria Integrated Care NHS Foundation Trust (Cumberland Infirmary)	92.7%	36.7%	68	2.7%	100.0%	62	4.8%	57.1%	61
2896	North Cumbria Integrated Care NHS Foundation Trust (West Cumberland Hospital)	89.6%	38.3%	69	4.5%	100.0%	50	6.0%	25.0%	61
2648	North Middlesex University Hospital NHS Trust (North Middlesex Hospital)	89.5%	35.3%	68	5.6%	50.0%	45	5.6%	50.0%	45
3575	North Tees & Hartlepool Foundation Trust (Community Services)	76.3%	24.6%	63	12.3%	0.0%	60	13.7%	0.0%	62
2546	North Tees and Hartlepool NHS Foundation Trust (University Hospital of North Tees)	Insufficient Data								
2486	North West Anglia NHS Foundation Trust (Peterborough City Hospital and CPFT Community Cardiac Rehabilitation)	93.8%	60.0%	69	No Patients with Comorbid Anxiety			6.3%	25.0%	68
2632	Northampton General Hospital NHS Trust (Northampton General Hospital (Acute))	88.4%	0.0%	68	4.1%	0.0%	69	7.6%	0.0%	61
2713	Northern Devon Healthcare NHS Trust (North Devon District Hospital)	89.3%	9.0%	70	4.1%	33.3%	63	6.8%	0.0%	70
2952	Northern Lincolnshire and Goole Hospital NHS Foundation Trust (Scunthorpe General Hospital)	76.2%	0.0%	67	13.4%	0.0%	58	11.0%	0.0%	58
2996	Northern Lincolnshire and Goole Hospitals NHS Foundation Trust (Diana Princess of Wales Hospital)	90.5%	57.9%	64	5.0%	0.0%	59	5.0%	0.0%	59
2732	Oxford University NHS Foundation Trust (Horton General Hospital and John Radcliffe Hospital)	93.9%	23.6%	66	2.8%	16.7%	58	3.3%	14.3%	54
3614	Oxleas NHS Foundation Trust (Bexley Cardiac Rehab and Greenwich Long Term Conditions Team)	Insufficient Data								

Programme Code that Created the Initiating Event	Programme Name that Created the Initiating Event	Comorbidity of Anxiety or Depression								
		Neither Anxiety or Depression			Those with Comorbidity of Anxiety			Those with Comorbidity of Depression		
		Proportion of Total Records Created	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)
2520	Portsmouth Hospitals NHS Trust (Queen Alexandra Hospital)	100.0%	9.6%	67	No Patients with Comorbid Anxiety			No Patients with Comorbid Depression		
3061	Rotherham NHS Foundation Trust (Rotherham District General Hospital and Rotherham Community Health Centre)	84.2%	50.0%	67	5.3%	100.0%	65	10.5%	50.0%	75
2664	Rotherham, Doncaster & South Humber Foundation Trust (Cantley Health Centre)	73.3%	14.3%	65	14.9%	0.0%	56	14.9%	0.0%	55
2711	Royal Devon and Exeter NHS Foundation Trust (Royal Devon and Exeter Hospital & Westbank Community Care)	85.3%	4.2%	71	5.8%	9.1%	64	9.5%	0.0%	64
2646	Royal Free London NHS Foundation Trust (Chase Farm Hospital and Barnet Hospital)	91.2%	87.1%	66	7.4%	100.0%	58	1.5%	100.0%	66
2650	Royal Free London NHS Foundation Trust (Royal Free Hospital)	94.9%	33.0%	65	2.0%	50.0%	51	3.0%	33.3%	57
2473	Royal Papworth Hospital NHS Foundation Trust (Royal Papworth Hospital)	76.4%	98.2%	65	14.7%	100.0%	62	10.3%	100.0%	53
2791	Royal Surrey County Hospital NHS Trust (Royal Surrey County Hospital)	92.6%	66.7%	71	2.5%	50.0%	76	5.0%	75.0%	75
2555	Royal United Hospital Bath NHS Trust (Royal United Hospital)	85.6%	24.0%	68	7.1%	30.0%	55	7.8%	9.1%	60
2589	Salford Royal NHS Foundation Trust (Salford Royal Hospital)	86.5%	44.2%	68	6.7%	33.3%	67	6.7%	50.0%	66
2495	Salisbury NHS Foundation Trust (Salisbury District Hospital)	Insufficient Data								
3074	Sandwell and West Birmingham Hospitals NHS Trust (City Hospital and Sandwell General Hospital)	89.7%	15.4%	65	3.6%	100.0%	71	7.1%	50.0%	67
2783	Sherwood Forest Hospitals NHS Foundation Trust (Kings Mill Hospital)	85.9%	11.3%	68	7.9%	21.4%	58	6.7%	8.3%	58



Programme Code that Created the Initiating Event	Programme Name that Created the Initiating Event	Comorbidity of Anxiety or Depression								
		Neither Anxiety or Depression			Those with Comorbidity of Anxiety			Those with Comorbidity of Depression		
		Proportion of Total Records Created	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)
2777	Shrewsbury and Telford Hospital NHS Trust (Royal Shrewsbury Hospital)	88.2%	9.0%	70	8.0%	0.0%	60	4.0%	0.0%	61
2778	Shrewsbury and Telford Hospital NHS Trust (The Princess Royal Hospital)	85.2%	8.7%	67	12.5%	20.0%	65	2.5%	0.0%	62
3108	Southampton University Hospitals NHS Trust (Southampton General Hospital)	90.8%	4.7%	69	3.6%	6.7%	62	5.8%	4.2%	65
2535	Southport and Ormskirk Hospital NHS Trust (Southport and Formby District General Hospital and Ormskirk District General Hospital)	95.0%	73.7%	72	1.7%	100.0%	48	3.4%	100.0%	65
2702	St Georges Healthcare NHS Trust (St Georges Hospital)	84.2%	46.9%	65	6.7%	80.0%	62	9.3%	71.4%	63
3004	St Helens and Knowsley Teaching Hospitals NHS Trust (Halton and St Helens)	94.2%	89.2%	67	2.9%	100.0%	81	2.9%	100.0%	65
2596	Stockport NHS Foundation Trust (Stepping Hill Hospital)	84.8%	16.1%	75	4.7%	33.3%	66	10.9%	57.1%	59
2569	Surrey and Sussex Healthcare NHS Trust (Crawley Hospital)	100.0%	72.5%	68	No Patients with Comorbid Anxiety			No Patients with Comorbid Depression		
2593	Tameside Hospital NHS Foundation Trust (Tameside General Hospital)	96.8%	73.3%	64	No Patients with Comorbid Anxiety			3.2%	100.0%	54
2690	The Hillingdon Hospital NHS Trust (Hillingdon Hospital)	96.1%	51.0%	68	2.0%	100.0%	57	2.0%	100.0%	57
2514	The Royal Wolverhampton Hospitals NHS Trust (New Cross Hospital and Cannock Chase Hospital)	100.0%	16.0%	66	No Patients with Comorbid Anxiety			No Patients with Comorbid Depression		
2719	Torbay Care Trust (Torbay Hospital)	94.1%	31.3%	69	No Patients with Comorbid Anxiety			5.9%	0.0%	62
2653	University College London Hospitals NHS Foundation Trust (The Heart Hospital)	Insufficient Data								
2508	University Hospitals Birmingham NHS Foundation Trust (Good Hope Hospital)	100.0%	21.4%	70	No Patients with Comorbid Anxiety			No Patients with Comorbid Depression		

Programme Code that Created the Initiating Event	Programme Name that Created the Initiating Event	Comorbidity of Anxiety or Depression								
		Neither Anxiety or Depression			Those with Comorbidity of Anxiety			Those with Comorbidity of Depression		
		Proportion of Total Records Created	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)
2509	University Hospitals Birmingham NHS Foundation Trust (Heartlands Hospital and Solihull Hospital)	100.0%	32.5%	64	No Patients with Comorbid Anxiety			No Patients with Comorbid Depression		
2491	University Hospitals Bristol and Weston NHS Foundation Trust (Bristol Royal Infirmary)	70.5%	83.9%	68	12.8%	80.0%	54	20.5%	87.5%	61
2562	University Hospitals Bristol and Weston NHS Foundation Trust (Weston General Hospital)	100.0%	0.0%	77	No Patients with Comorbid Anxiety			No Patients with Comorbid Depression		
2553	University Hospitals Coventry and Warwickshire NHS Trust (University Hospital, Coventry and Hospital of St Cross)	81.4%	53.2%	69	11.0%	36.4%	63	8.5%	70.6%	62
2630	University Hospitals Of Leicester NHS Trust (Glenfield Hospital, Leicester General Hospital and Leicester Royal Infirmary)	86.3%	76.6%	67	6.6%	87.5%	63	7.4%	66.7%	65
2852	University Hospitals Sussex NHS Foundation Trust (Princess Royal Hospital)	97.6%	8.6%	68	No Patients with Comorbid Anxiety			2.4%	0.0%	78
2723	University Hospitals Sussex NHS Foundation Trust (Royal Sussex County Hospital)	86.3%	83.2%	67	5.6%	100.0%	57	8.8%	90.9%	57
2725	University Hospitals Sussex NHS Foundation Trust (Southlands Hospital)	70.0%	100.0%	63	22.2%	100.0%	48	11.1%	100.0%	40
2517	University Hospitals Sussex NHS Foundation Trust (St Richards Hospital)	Insufficient Data								
2513	Walsall Cardiac Rehabilitation Trust (Heart Care)	84.9%	83.9%	66	7.2%	60.0%	55	8.7%	66.7%	56
2537	Warrington and Halton Hospital Foundation Trust (Halton Hospital and Warrington)	71.4%	91.4%	68	16.7%	86.7%	59	14.4%	92.3%	58
2503	West Herts Central London Community Healthcare NHS Trust (St Albans, Watford, Hemel Hempstead)	94.6%	64.2%	69	1.8%	100.0%	52	3.6%	100.0%	76
2474	West Suffolk Community Services (Community Cardiac Rehabilitation Team)	Insufficient Data								

Programme Code that Created the Initiating Event	Programme Name that Created the Initiating Event	Comorbidity of Anxiety or Depression								
		Neither Anxiety or Depression			Those with Comorbidity of Anxiety			Those with Comorbidity of Depression		
		Proportion of Total Records Created	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)
2649	Whittington Health NHS Trust (The Whittington Hospital)	74.3%	69.2%	62	15.6%	100.0%	52	12.5%	100.0%	53
2525	Wirral Community NHS Foundation Trust (Wirral Heart Support Centre)	78.3%	27.7%	73	11.0%	25.0%	61	11.7%	17.6%	60
2604	Worcestershire Acute Hospitals NHS Trust (Alexandra Hospital)	100.0%	23.3%	70	No Patients with Comorbid Anxiety			No Patients with Comorbid Depression		
2605	Worcestershire Acute Hospitals NHS Trust (Kidderminster Hospital)	100.0%	8.3%	71	No Patients with Comorbid Anxiety			No Patients with Comorbid Depression		
2608	Worcestershire Acute Hospitals NHS Trust (Worcestershire Royal Hospital)	87.4%	6.2%	68	5.5%	11.1%	54	7.4%	0.0%	61
2599	Wrightington, Wigan and Leigh NHS Foundation Trust (Leigh Infirmary)	77.3%	100.0%	65	14.6%	100.0%	57	9.8%	100.0%	53
2606	Wye Valley NHS Trust (Hereford County Hospital, Leominster and Ross on Wye)	Insufficient Data								
2574	Yeovil District Hospital NHS Foundation Trust (Yeovil District Hospital)	Insufficient Data								
2644	York Teaching Hospital NHS Foundation Trust (York Hospital and Community CR)	88.2%	68.3%	70	4.5%	66.7%	61	7.5%	40.0%	71
3112	Your Healthcare CIC (Kingston Community Cardiac Prevention and Rehabilitation Programme)	73.5%	100.0%	71	13.3%	100.0%	54	16.7%	100.0%	59

Programme Code that Created the Initiating Event	Programme Name that Created the Initiating Event	Comorbidity of Anxiety or Depression								
		Neither Anxiety or Depression			Those with Comorbidity of Anxiety			Those with Comorbidity of Depression		
		Proportion of Total Records Created	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)
2845	Princess Elizabeth Hospital, Guernsey	91%	15%	70	5%	57%	76	5%	14%	62

Programme Code that Created the Initiating Event	Programme Name that Created the Initiating Event	Comorbidity of Anxiety or Depression								
		Neither Anxiety or Depression			Those with Comorbidity of Anxiety			Those with Comorbidity of Depression		
		Proportion of Total Records Created	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)
2848	Belfast Health and Social Care Trust (Belfast City Hospital, Royal Victoria Hospital and Mater Hospital)	81.4%	91.7%	64	5.2%	66.7%	49	13.8%	87.5%	56
2869	Northern Health and Social Care Trust (Antrim Area Hospital, Whiteabbey Hospital, Mid-Ulster Hospital, Causeway Hospital)	61.2%	95.6%	69	23.3%	93.3%	65	20.9%	92.6%	63
3055	South Eastern Health and Social Care Trust (Downe Hospital)	86.7%	53.8%	65	7.1%	100.0%	55	7.1%	100.0%	55
3056	South Eastern Health and Social Care Trust (Lagan Valley Hospital)	88.9%	0.0%	72	5.6%	100.0%	38	5.6%	0.0%	43
2868	South Eastern Health and Social Care Trust (Ulster Hospital)	89.0%	98.9%	66	3.0%	100.0%	57	8.1%	100.0%	61
2858	Southern Health and Social Care Trust (Daisy Hill Hospital)	Insufficient Data								
2844	Southern Health and Social Care Trust (South Tyrone Hospital)	95.8%	95.7%	66	No Patients with Comorbid Anxiety			4.2%	100.0%	60
2847	Western Health and Social Care Trust (Altnagelvin Hospital/Omagh Health Centre/South West Acute Hospital)	Insufficient Data								

Programme Code that Created the Initiating Event	Programme Name that Created the Initiating Event	Comorbidity of Anxiety or Depression								
		Neither Anxiety or Depression			Those with Comorbidity of Anxiety			Those with Comorbidity of Depression		
		Proportion of Total Records Created	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)	Percentage of Initiating Events	% that Started Core CR	Mean Age (years)
2883	Aneurin Bevan University Health Board (Nevill Hall Hospital, Ysbyty Ystrad Fawr, The County Hospital, St Woolos)	75.0%	70.8%	66	17.2%	80.0%	65	10.3%	66.7%	63
3097	Betsi Cadwaladr University Health Board (North West Wales Cardiac Rehab Programme)	67.3%	82.9%	66	20.0%	66.7%	68	17.8%	75.0%	63
2849	Betsi Cadwaladr University Health Board (Wrexham Maelor Hospital/East Cardiac Rehab Service)	63.0%	74.5%	72	19.4%	85.7%	60	22.2%	93.8%	62
2859	Betsi Cadwaladr University Health Board (Ysbyty Glan Clwyd & Llandudno)	69.7%	69.6%	67	13.8%	50.0%	64	20.7%	50.0%	64
2899	Cardiff and Vale University Health Board (University Hospital of Wales and Llandough Hospital)	75.9%	28.8%	67	10.0%	37.5%	56	16.3%	23.1%	61
2829	Cwm Taf Morgannwg University Health Board (Princess of Wales Hospital)	79.0%	59.2%	69	10.2%	50.0%	57	11.9%	42.9%	62
2839	Cwm Taf Morgannwg University Health Board (Royal Glamorgan Hospital and Prince Charles Hospital)	78.2%	26.3%	68	11.5%	38.9%	61	12.2%	31.6%	62
2977	Hywel Dda University Health Board (Bronglais Hospital)	Insufficient Data								
2871	Hywel Dda University Health Board (Glangwili Hospital and Prince Philip Hospital)	87.5%	23.8%	67	4.3%	100.0%	62	8.7%	50.0%	70
3012	Hywel Dda University Health Board (Haverfordwest Health Care Centre)	Insufficient Data								
2867	Swansea Bay University Health Board (Neath/Port Talbot Hospital, Morrison Hospital and Singleton Hospital)	88.6%	98.7%	66	5.9%	100.0%	56	5.9%	100.0%	59